



Concepts & Design

David Grellscheid

Why Python?

- * easy to learn
- * huge library
- * excellent science support
- * quick development turnaround

History

- * development started 1989
main author Guido van Rossum (BDFL)
- * Python 2.0: October 2000 (now: 2.7.11)
- * Python 3.0: December 2008 (now 3.5.1)

Version Choice

- * Python 2 used to have better library support – now hardly any difference.
Consider external factors for choice
- * Features from 3.0 ported to 2.6
Features from 3.1 ported to 2.7
- * But: no more 2.x releases!
- * conversion tools available: `2to3` `3to2`
largest visible change for beginners: `print` vs `print()`
- * compatibility library: `six`

Design choices

Zen of Python, by Tim Peters (`import this`)

- * Beautiful is better than ugly.
- * Explicit is better than implicit.
- * Simple is better than complex.
- * Complex is better than complicated.
- * Readability counts.
- * There should be one — and preferably only one — obvious way to do it.
- * If the implementation is hard to explain, it's a bad idea.

Design choices

- * Multi-paradigm language:
structured, object oriented & functional
styles are all supported
- * Paradigms not enforced by language
“We are all consenting adults here”
- * clean syntax, fun to use
- * Highly extensible:
small core, large standard lib

Implementations

- * CPython: the reference implementation, interpreted bytecode (pyc files)
- * PyPy: just-in-time compiler to machine code
- * Jython targets Java JVM
- * IronPython: C# / .NET

Type system

strong typing

'foo'+5 is an error

dynamic typing

```
a = 'foo'
b = 2*a
a = 5
b = 2*a
```

“duck typing”
def foobar(a,b):
 return a+b

function calls will take any
argument types,
runtime error if it doesn't fit

Syntax

Whitespace is significant!

C/C++

```
if (a>b)
    foo();
    bar();
baz();
```

Python

```
if a>b:
    foo()
    bar()
baz()
```

Syntax

Control flow

```
for i in list:  
    baz(i)
```

```
if a>b:  
    foo()  
elif b!=c:  
    bar()  
else:  
    baz()
```

```
while a>b:  
    foo()  
    bar()
```

```
pass
```

```
break  
continue
```

Exceptions

Use them!

```
try:  
    a = read_my_data()  
except:  
    print("Corrupted data")
```

is almost always preferable to:

```
if consistent_data():  
    a = read_my_data()  
else:  
    print("Corrupted data")
```

Expressions

mostly as expected from other languages
transparent arbitrary-length integers!

Be careful with division in Python 2!

`5/3 == 1`

`5./3. == 1.66666666666667`

Can be “fixed” with this line at the top:

```
from __future__ import division
```

Boolean operators are written out:

`and or not`
`True False`

Strings

String delimiters:

use ' or " as needed, no difference

```
a = "Fred's house"  
b = 'He said "Hello!" to me'
```

Verbatim texts in triple quotes
"""can go
over several lines
like this
"""

String formatting

Two styles:

```
"I ate %d %s today" % (12, "apples") (like printf())
```

```
"I ate {} {} today".format(12, "apples")
```

The second option is more flexible:

```
text = "I ate {num} {food} today. Yes, really {num}."  
answer = text.format(num=12, food="apples")
```

Collections

list, tuple

`[3, 1, 'foo', 12.]` mutable

`(3, 1, 'foo')` immutable

`a[0]` `a[-1]` `a[2:5]` `a[2:10:2]` index / slice access

`[x**2 for x in range(1,11)]` list comprehension

dict, set

`d={'name': 'Monty', 'age': 42}`

`d['name']` `d['age']`

`{3, 1, 'foo', 12.}` unique elements, union, intersection, etc.

Syntax

Function definition

```
def stuff(a,b,c):  
    a = 3*b  
    return a+b-c
```

functions can be passed as values!

```
def timesN(N):  
    def f(x):  
        return N*x  
    return f
```

```
somefn = timesN(6)  
a = somefn(7)
```


Some syntax niceties

```
t = (3, 7+5j)
a, b = t
a, b = b, a
```

```
pts = [
    (1,3),
    (5,6),
]
for i in pts:
    print(i)
for x,y in pts:
    print(x, 'and', y)
```

Standard Library

Enormous variety:

- * Regular expressions, `difflib`, `textwrap`
- * `datetime`, `calendar`
- * `synchronized queue`
- * `copy`
- * `math`, `decimal`, `fractions`, `random`
- * `os.path`, `stat`, `tempfile`, `shutil`
- * `pickle`, `sqlite3`, `zlib`, `bz2`, `tarfile`, `csv`
- * Markup, internet protocols, multimedia, debugging, ...

External packages

~75000 available at PyPI

`http://pypi.python.org/pypi`

..., Numpy, Scipy, Matplotlib, ...

Easy installation with `pip`

Quality varies a lot!

warm-up to get familiar with editors,
file handling, and of course Python

[`http://learnpythonthehardway.org/book/`](http://learnpythonthehardway.org/book/)
Exercises 1–39

[`http://docs.python.org/2/tutorial/`](http://docs.python.org/2/tutorial/)
Sections 3–8

[`http://projecteuler.net/problems`](http://projecteuler.net/problems)

<http://projecteuler.net/problems>

- A. 1, 2, 3 (to use basic language features)
- B. 14, 17 (use dict), 57
- C. 79 (file input), 102 (handle 2D points)