

"COLLEGE ON SOIL PHYSICS"

12 March - 6 April 2001

References

M. Kutilek
Elsevier
Soil and Tillage Research (Journal)
Prague
Czech Republic

These notes are for internal distribution only

REFERENCES

- ✓ Amerman, C.R. 1983. Infiltration measurement. In: *Advances of Infiltration*, ASAE, St. Joseph, Michigan, p. 201-214.
- ✓ Amoozegar, A. and A.W. Warrick. 1986. Field measurements of saturated hydraulic conductivity. In: A. Klute (Ed.): *Methods of Soil Analysis, Part I. Agronomy Monograph Series No. 9* (2nd edition), ASA and SSSA, p. 735-770, Madison.
- ✓ Arya, L.M., D.A. Farrel and G.R. Blake. 1975. A field study of soil water depletion patterns in presence of growing soybean roots. 1. Determination of hydraulic properties of the soil. *Soil Sci. Soc. Am. Proc.* 39:424-430.
- ✓ Arya, L.M. and J.F. Paris. 1981. A physicoempirical model to predict the soil moisture characteristic from particle size distribution and bulk density data. *Soil Sci. Soc. Am. J.* 45:1023-1030.
- ✓ Averianov, S.F. 1949. Dependence of water conductivity of soils upon the air content (in Russian) *Doklady Akademii Nauk SSSR*)Proceedings of Academy of Sciences of USSR) 69, No. 2:141-145.
- ✓ Bear, J. 1972. *Dynamics of Fluids in Porous Media*. Elsevier Science., New York.
- ✓ Bear, J. and Y. Bachmat. 1967. A generalized theory of hydrodynamic dispersion in porous media. *Proc. Intl. Assoc. Sci. Hydrol. Symp. Haifa, Publ. No. 72*.
- ✓ Beven, K. and P. Germann. 1982. Macropores and water flow in soils. *Water Resour. Res.* 18:1311-1325.
- ✓ Biswas, T.D., D.R. Nielsen and J.W. Biggar. 1966. Redistribution of soil water after infiltration. *Water Resour. Res.* 2:513-524.
- ✓ Boast, C.W. and R.G. Langebartel. 1984. Shape factor for seepage into pits. *Soil Sci. Soc. Am. J.* 48:10-15.
- ✓ Bolt, G.H. (Ed.). 1979. *Soil Chemistry, Physico-Chemical Models*. Elsevier Science, New York.
- ✓ Bolt, G.H. and P.H. Groenevelt. 1969. Coupling phenomena as a possible cause for non-Darcian behaviour of water in soil. *Bull. Intern. Assoc. Sci. Hydrol.* 14:17-26.
- ✓ Bolt, G.H. and P.H. Groenevelt. 1972. Coupling between transport processes in porous media. In: *Proc. 2nd Symp. Fundamentals of Transport Phenomena in Porous Media*. Univ. of Guelph, p. 630-652.
- ✓ Boolting, H.W.G., J. Bouma and D. Giménez. 1991. A suction crust infiltrometer for measuring hydraulic conductivity of unsaturated soil near saturation. *Soil Sci. Soc. Am. J.* 55:566-568.
- ✓ Boulrier, J.F., J. Touma and M. Vauclin. 1984. Flux concentration relation-based solution of constant flux infiltration equation: I. Infiltration into nonuniform initial moisture profiles. *Soil Sci. Soc. Am. J.* 48:245-251.
- ✓ Bouma, J. 1984. Using soil morphology to develop measurement methods and simulation techniques for water movement in heavy clay soils. In: J. Bouma and P.A.C. Raats (Eds.): *Proceedings of the ISSS Symposium on Water and Solute Movement in Heavy Clay Soils*, International Institute for Land Reclamation and Improvement (ILRI) Publication 37, Wageningen, p. 298-210.
- ✓ Bouma, J., P.J.M. de Laat, A.F. van Holst and T.J. von de Nes. 1980. Predicting the effects of changing water table levels and associated soil moisture regimes for soil survey interpretation. *Soil Sci. Soc. Am. J.* 44:797-802.
- ✓ Bouwer, H. 1966. Rapid field measurement of air entry value and hydraulic conductivity of soil as significant parameters in flow system analysis. *Water Resour. Res.* 2:729-738.
- ✓ Bouwer, H. 1986. Intake rate: Cylinder infiltrometer. In: A. Klute (Ed.): *Methods of Soil Analysis, Part I. Agronomy Monograph Series No. 9* (2nd edition), ASA and SSSA, Madison, Wisconsin, p. 825-844.
- ✓ Bradáč, J. and M. Kutlík. 1974. Steady infiltration of water in the homogeneous soil (in Czech). *Vodni hosp.* 24:74-81.
- ✓ Brewer, R. 1976. *Fabric and Mineral Analysis of Soils*. 2nd print. Kreiger Publ. Co. Huntington, New York.
- ✓ Briggs, L.J. and J.W. McLane. 1907. The moisture equivalents of soils. *USDA Bur. of Soils, Bull.* 45, pp 23.
- ✓ Brigham, W.E., P.W. Reed and J.N. Dew. 1961. Experiments on mixing during miscible displacement in porous media. *Soc. Petrol. Engrs. J.* 1:1-8.
- ✓ Broadbridge, P. and I. White. 1988. Constant rate rainfall infiltration: A versatile nonlinear model. 1. Analytic solution. *Water Resour. Res.* 24:145-154.

- ✓ Brooks, R.H. and A.T. Corey. 1964. Hydraulic properties of porous media. Hydrology paper 3, Colorado St. Univ., Fort Collins.
- ✓ Brutsaert, W. 1966. Probability laws for pore size distributions. Soil. Sci. 101:85-92.
- ✓ Brutsaert, W. 1977. Vertical infiltration in dry soil. Water Resour. Res. 13:363-368.
- ✓ Buckingham, E. 1907. Studies on the movement of soil moisture. Bull. 38. U.S. Dept. of Agr. Bureau of Soils, Washington, D.C.
- ✓ Budagovskij, A.I. 1955. Infiltration of Water in Soil (in Russian). Izdatelstvo Akademii Nauk SSSR (Publishers of Academy of Sciences), Moscow.
- Budagovskij, A.I. 1964. Evaporation of Soil Water (in Russian). Izdatelstvo Nauka (Publishers Nauka), Moscow.
- ✓ Burdine, N.T. 1953. Relative permeability calculations from pore size distribution data. Trans. Am. Inst. Univ. Metall. Pet. Eng. 198:71-87.
- Burt, T.P. and P.J. Williams. 1976. Hydraulic conductivity in frozen soils. Earth Surface Processes 11:349-360.
- ✓ Callebaut, F., D. Gabriels and M. de Boodt (Eds.) 1985. Assessment of Surface Sealing and Crusting. Proc. Symp. in Ghent. Flanders Research Center for Soil Erosion and Soil Conservation, and Department of Soil Physics, University of Ghent.
- Cameron, D.A. and A. Klute. 1977. Convective-dispersive solute transport with a combined equilibrium and kinetic adsorption model. Water Resour. Res. 13:183-188.
- ✓ Carslaw, H.S. and J.C. Jaeger. 1959. Conduction of Heat in Solids. 2nd ed. London, Oxford Univ. Press.
- ✓ Cassel, D.K. and D.R. Nielsen. 1986. Field capacity and available water capacity. In: A. Klute (Ed.): Methods of Soil Analysis, Part I. Agronomy Monograph Series No. 9 (2nd edition), ASA and SSSA, Madison, Wisconsin, p. 901-926.
- Castro, C.L. and D.E. Rolston. 1977. Organic phosphate transport and hydrolysis in soil: Theoretical and experimental evaluation. Soil Sci. Soc. Am. J. 41:1085-1092.
- ✓ Chatzis, I. and F.A.L. Dullien. 1977. Modelling pore structure by 2-D and 3-D networks of capillary tubes to simulate the drainage capillary pressure of sandstones. J. Can. Pet. Tech. 16:97-104.
- ✓ Childs, E.C. 1969. The Physical Basis of Soil Water Phenomena. New York, Wiley Interscience.
- ✓ Childs, E.C. and N. Collis-George. 1950. The permeability of porous materials. Proc. Royal Soc. London A. 210:392-405.
- Cho, C.M. 1971. Convective transport of ammonium with nitrification in soil. Can. J. Soil Sci. 51:339-350.
- ✓ Chong, S.K., R.E. Green and L.R. Ahuja. 1981. Simple *in situ* determination of hydraulic conductivity by power function descriptions of drainage. Water Resour. Res. 17:1109-1114.
- Chopart, J. L. and M. Vauclin. 1990. Water balance estimation model: Field test and sensitivity analysis. Soil Sci. Soc. Am. J. 54:1377-1384.
- Císler, J. 1969. The solution for maximum velocity of isothermal steady flow of water upward from water table to soil surface. Soil Sci. 108:148.
- ✓ Císler, J. 1974. Note on the Parlange method for the numerical solution of horizontal infiltration of water into soil. Soil Sci. 117:70-73.
- Clausnitzer, V., J.W. Hopmans and D.R. Nielsen, 1992. Simultaneous scaling of soil water retention and hydraulic conductivity curves. Water Resour. Res. 28:19-31.
- ✓ Clothier, B. and T. Heiler. 1983. Infiltration during sprinkler irrigation: Theory and field results. In: Advances in Infiltration. ASAE Publ. 11-83. St. Joseph, Mich., p. 275-283.
- ✓ Clothier, B.E., J.H. Knight and I. White 1981. Burgers equation: Application to field constant-flux infiltration. Soil Sci. 132:255-261.
- ✓ Clothier, B.E. and K.R.J. Smettem. 1990. Combining laboratory and field measurements to define the hydraulic properties of soil. Soil Sci. Soc. Am. J. 54:299-304.
- ✓ Clothier, B.E. and I. White. 1981. Measurement of sorptivity and soil water diffusivity in the field. Soil Sci. Soc. Am. J. 45:241-245.

REFERENCES.

- ✓ Corey, A.T. 1977. Mechanics of Heterogenous Fluids in Porous Media. Water Resour. Publ., Fort Collins, Colorado.
- ✓ Crank, J. 1956. The Mathematics of Diffusion. Oxford Univ. Press, London.
- ✓ Cvetkovič, V.D. 1986. A continuum approach to high velocity flow in a porous medium. Transp. Porous Media. 1:63-97.
- ✓ Dane, J.H. and A. Klute. 1977. Salt effects on the hydraulic properties of a swelling soil. Soil Sci. Soc. Am. J. 41:1043-1049.
- ✓ Darcy, H. 1856. Les fontaines publique de la ville de Dijon. Dalmont, Paris.
- ✓ Davidson, J.M. and J.R. McDougal. 1973. Experimental and predicted movement of three herbicides in water-saturated soil. J. Environ. Qual. 2:428-433.
- ✓ Davidson, J.M., D.R. Nielsen and J.W. Biggar. 1963. The measurement and description of water flow through Columbia silt loam and Hesperia sandy loam. Hilgardia 34:601-617.
- ✓ Davidson, J.M., D.R. Nielsen and J.W. Biggar. 1966. The dependency of soil water uptake and release upon the applied pressure increment. Soil Sci. Soc. Am. Proc. 30:298-304.
- ✓ Davidson, J.M., L.R. Stone, D.R. Nielsen and M.E. La Rue. 1969. Field measurement and use of soil water properties. Water Resour. Res. 5:1312-1321.
- ✓ Deryaguin, B.V., N.N. Zachovaeva and M.K. Melnikova. 1956. Theory of equilibrium and migration of soil moisture at various moisture contents. Trans. 6th Intl. Congress of Soil Sci., ISSS, Paris, 291-297.
- De Vault, D. 1943. The theory of chromatography. J. Am. Chem. Soc. 65:534-540.
- ✓ Diaz, C.E., I. Chatzis and F.A.L. Dullien. 1987. Simulation of capillary pressure curves using bond correlated site percolation on a simple cubic network. Transp. Porous Media 2:215-240.
- ✓ Dirksen, C. 1975. Determination of soil water diffusivity by sorptivity measurements. Soil. Sc Soc. Am. Proc. 39:22-27.
- ✓ Dirksen, C. and S. Matula. 1994. Automatic atomized water spray system for soil hydraulic conductivity measurements. Soil Sci. Soc. Am. J. 58:319-325.
- ✓ Dullien, F.A.L. 1979. Porous Media: Fluid Transport and Pore Structure. Academic Press, New York.
- ✓ Edwards, W.M. and W.E. Larson. 1969. Infiltration of water into soils as influenced by surface seal development. Trans. ASAE 12:463-465.
- Elrick, D.E. 1961. Transient two-phase capillary flow in porous media. Phys. of Fluids 4:572-575.
- ✓ Elrick, D.E. and W.D. Reynolds. 1992. Infiltration from constant-head well permeameters and infiltrometers. In: G.C. Topp, W.D. Reynolds and R.E. Green (Eds.): Advances in Measurement of Soil Physical Properties: Bringing Theory into Practice. SSSA Spec. Publ. 30, SSSA, Madison, Wisconsin, p. 1-24.
- ✓ Gardner, W.R., D.I. Hillel and I. Benyamini. 1970. Post irrigation movement of soil water: I. Redistribution. Water Resour. Res. 6:851-861.
- ✓ Gardner, W.R., D.I. Hillel and I. Benyamini. 1970. Post irrigation movement of soil water: II. Simultaneous redistribution and evaporation. Water Resour. Res. 6:1148-1153.
- Gardner, W.R. and M.S. Mayhugh. 1958. Solution and tests of the diffusion equation for the movement of water in soil. Soil Sci. Am. Proc. 22:197-201.
- ✓ Germann, P.F. and K. Beven. 1985. Kinematic wave approximation to infiltration into soils with sorbing macropores. Water Resour. Res. 21:990-996.
- ✓ Green, R.E., L.R. Ahuja and S.K. Chong. 1986. Hydraulic conductivity, diffusivity and sorptivity of unsaturated soils. Field methods. In: A. Klute (Ed.): Methods of Soil Analysis, Part I. Agronomy Monograph Series No. 9 (2nd edition), ASA and SSSA, Madison, Wisconsin, p.771-798.
- ✓ Green, W.H. and G.A. Ampt. 1911. Studies on soil physics: I. Flow of air and water through soils. J. Agric. Sci. 4:1-24.
- ✓ Hatano, R. and H.W.G. Boetting. 1992. Using fractal dimensions of stained flow patterns in a clay soil to predict bypass flow. J. Hydrol. 135:121-131.
- Hatano, R., H. Nakamoto, T. Sakuma and H. Okajima. 1988. Evapotranspiration in cracked clay field soil. Soil Sci. Plant Nutr. 34:547-555.
- ✓ Haverkamp, R., M. Kutilek, J.Y. Parlange, L. Rendon and M. Krejča. 1988. Infiltration under ponded conditions: 2. Infiltration equations tested for parameter time-dependence and predictive use. Soil Sci. 145:317-329.

- ✓ Haverkamp, R., J.Y. Parlange, J.L. Starr, G. Schmitz and C. Fuentes. 1990. Infiltration under ponded conditions. 3. A predictive equation based on physical parameters. *Soil Sci.* 149:292-300.
- ✓ Haverkamp, R., M. Vauclin, J. Touma, P.J. Wierenga and G. Vachaud. 1977. A comparison of numerical simulation models for one-dimensional infiltration. *Soil Sci. Soc. Am. J.* 41:285-294.
- ✓ Heinrich, R. 1886. Über Prüfung der Bodenarten auf Wasserkapazität und Durchlüftbarkeit. In: E. Wollny (Ed.): *Forschungen auf Gebiete der Agrikultur-Physik*. 9. Band C. Universitätsbuchhandlung C. Winter, Heidelberg, p. 260-274.
- Hill, D.E. and J.Y. Parlange. 1972. Wetting front instability in layered soils. *Soil Sci. Soc. Am. Proc.* 36:697-702.
- Hillel, D. 1971. *Soil and Water. Physical Principles and Processes*. Academic Press, New York.
- Hillel, D. 1980. *Applications of Soil Physics*. Academic Press, New York.
- ✓ Hillel, D. and R.S. Baker. 1988. A descriptive theory of fingering during infiltration into layered soils. *Soil Sci.* 146:51-56.
- Hillel, D. and D.E. Elrick (Eds.). 1990. *Scaling in Soil Physics: Principles and Applications*. SSSA Spec. Publ. No. 25, SSSA, Madison, Wisconsin.
- ✓ Hillel, D. and W.R. Gardner. 1970. Transient infiltration into crust-topped profiles. *Soil Sci.* 109:69-76.
- ✓ Hillel, D., V. Krentos and Y. Stylianou. 1972. Procedure and test of an internal drainage method for measuring soil hydraulic characteristics *in situ*. *Soil Sci.* 114:396-400.
- ✓ Holtan, H.N. 1961. Concept for infiltration estimates in watershed engineering. USDA Res. Ser. Publ.:41-51.
- ✓ Hornung, U. 1983. Identification of nonlinear soil physical parameters from an input-output experiment. In: O. Deuflhardt and E. Hairer (Eds.): *Workshop on Numerical Treatment of Inverse Problems in Differential Integral Equations*. Birkhauser, Boston, p. 227-237.
- ✓ Horton, R.E. 1940. An approach towards a physical interpretation of infiltration capacity. *Soil Sci. Soc. Am. Proc.* 5:399-417.
- Illangasekare, T.H., R.J. Walter, Jr., M.F. Meier and W.T. Pfeffer. 1990. Modeling of meltwater infiltration in subfreezing snow. *Water Resour. Res.* 26:1001-1012.
- ✓ Klute, A. (Ed.). 1986. *Methods of Soil Analysis. Part 1. Agronomy Monograph Series No. 9* (2nd edition), ASA and SSSA, Madison, Wisconsin.
- ✓ Klute, A. and C. Dirksen. 1986. Hydraulic conductivity and diffusivity: Laboratory methods. In: A. Klute (Ed.): *Methods of Soil Analysis, Part I. Agronomy Monograph Series No. 9* (2nd edition), ASA and SSSA, Madison, Wisconsin, p. 687-734.
- ✓ Kostiakov, A.N. 1932. On the dynamics of the coefficient of water-percolation in soils and on the necessity of studying it from a dynamic point of view for purposes of amelioration. *Trans. Sixth Comm. Intl. Soc. Soil Sci., Part A*:17-21.
- ✓ Kozeny, I. 1927. Über Kapillarleitfähigkeit des Wassers im Boden. *Sitzungsber. Akad. Wiss. Wien* 136:303 (quoted according to Zunker, 1930).
- ✓ Kunze, R.J. and D.R. Nielsen. 1982. Finite-difference solutions of the infiltration equation. *Soil Sci.* 134:81-88.
- ✓ Kutilek, M. 1972. Non-Darcian flow of water in soils-laminar region. In: *Fundamentals of Transport Phenomena in Porous Media*. Elsevier, Amsterdam, p. 327-340.
- Kutilek, M. 1973. The influence of clay minerals and exchangeable cations on soil moisture potential. In: A. Hadas, D. Swartzendruber, P.E. Rijtema, M. Fuchs and B. Yaron (Eds.): *Physical Aspects of Soil Water and Salts in Ecosystems. Ecol. Studies 4*. Springer, Berlin, p. 153-160.
- Kutilek, M. 1978. *Soil Science for Water Management (Textbook in Czech)*. SNTL-ALFA (State Publishers of Technical Literature), Prague.
- ✓ Kutilek, M. 1980. Constant rainfall infiltration. *J. Hydrol.* 45:289-303.
- ✓ Kutilek, M. 1983. Soil physical properties of saline and alkali vertisols. In: *Isotope and Radiation Techniques in Soil Physics and Irrigation Studies*. IAEA, Vienna, p. 179-190.
- ✓ Kutilek, M. 1984a. Some theoretical and practical aspects of infiltration in clays with $D = \text{const}$. In: J. Bouma and P.A.C. Raats (Eds.): *Water and Solute Movement in Heavy Clay Soils. Proceedings of the ISSS Symposium on Water and Solute Movement in Heavy Clay Soils*. International Institute for Land Reclamation and Improvement (ILRI), Publication 37, Wageningen, p. 114-128.

- ✓ Kutilek, M. and M. Krejča. 1987. A three-parameters infiltration equation of the Philip's type solution (in Czech). *Vodohosp. Čas.* 35:52-61.
- ✓ Kutilek, M., M. Krejča, R. Haverkamp, L.P. Rendon and J.Y. Parlange. 1988. An extrapolation of algebraic infiltration equations. *Soil Tech.* 1:47-61.
- ✓ Kutilek, M. and V. Novák. 1976. The influence of soil cracks upon infiltration and ponding time. In: M. Kutilek and J. Šútor (Eds.): *Water in Heavy Soils. Proceedings ICID-ISSS (International Commission on Irrigation and Drainage - International Soil Science Society) Symposium in Bratislava, Czechoslovak Scientific Technical Society Publisher*, p. 126-134.
- ✓ Kutilek, M., R. Rösslerová and H. Othmer. 1992. Models of soil porous systems for unsaturated flow. In: *Proc. Colloquium Porous or Fractured Unsaturated Media: Transport and Behavior. Swiss Federal Institute of Technology of Lausanne (EPFL) and University of Neuchatel*, p. 71-86.
- ✓ Kutilek, M. and J. Salingerová. 1966. Flow of water in clay minerals as influenced by adsorbed quinolinium and pyridinium. *Soil Sci.* 101:385-389.
- ✓ Kutilek, M. and J. Valentová. 1986. Sorptivity approximations. *Transp. Porous Media* 1:57-62.
- Kutilek, M., T. Vogel and D.R. Nielsen. 1985. Note on the physical characteristics of linear soils. *Soil Sci.* 139:497-499.
- ✓ Kutilek, M., K. Zayani, R. Haverkamp, J.Y. Parlange and G. Vachaud. 1991. Scaling of the Richards' equation under invariant flux boundary conditions. *Water Resour. Res.* 27:2181-2185.
- ✓ LaRue, M.E., D.R. Nielsen and R.M. Hagan. 1968. Soil water flux below a ryegrass root zone. *Agron. J.* 60:625-629.
- ✓ Libardi, P.L., K. Reichardt, C. Jose, M. Bazza and D.R. Nielsen. 1980. An approximate method of estimating soil water diffusivity for different soil bulk densities. *Water Resour. Res.* 18:177-181.
- ✓ Luckner, L., M.Th. van Genuchten and D.R. Nielsen. 1989. A consistent set of parametric models for the two-phase flow of immiscible fluids in the subsurface. *Water Resour. Res.* 25:2187-2193.
- ✓ Maasland, M. and H.C. Haskew. 1957. The auger hole method of measuring the hydraulic conductivity of soil and its application to tile drainage problems. *Proc. 3rd. Congr., International Commission on Irrigation and Drainage (ICID)*, p. 8.69-8.114.
- ✓ Marshall, T.J. 1958. A relation between permeability and size distribution of pores. *J. Soil Sci.* 9:1-8.
- Marshall, T.J. and J.W. Holmes. 1979. *Soil Physics*. Cambridge Univ. Press, Cambridge.
- Matheron, G. 1965. Regionalized variables and their estimation (in French). Editions Masson, Paris.
- ✓ McIntyre, D.S. 1958a. Permeability measurements of soil crusts formed by raindrop impact. *Soil Sci.* 85:185-189.
- ✓ McIntyre, D.S. 1958b. Soil splash and the formation of surface crusts by raindrop impact. *Soil Sci.* 85:261-266.
- McLaren, A.D. 1970. Temporal and vectorial reactions of nitrogen in soil: A review. *Can. J. Soil Sci.* 50:97-109.
- ✓ McNeal, B.L. 1968. Prediction of the effect of mixed-salt solutions on soil hydraulic conductivity. *Soil Sci. Soc. Am. Proc.* 32:190-193.
- ✓ McNeal, B.L., D.A. Layfield, W.A. Norvell and J.D. Rhoades. 1968. Factors influencing hydraulic conductivity of soils in the presence of mixed-salt solutions. *Soil Sci. Soc. Am. Proc.* 32:187-190.
- Means, T.H. and J.G. Holmes. 1901. Soil survey around Fresno, California. *Field Operations of the Division of Soils, 1900. U.S. Dept. Agr., House of Representatives, Document No. 526. Washington, D.C.*, p. 333-384.
- ✓ Mein, R.G. and C.L. Larson. 1973. Modeling infiltration during a steady state rain. *Water Resour. Res.* 9:384-394.
- ✓ Mezencev, V.J. 1948. Theory of formation of the surface runoff (in Russian). *Meteorologia i Gidrologia* 3:33-40.
- ✓ Millington R.J. and J.P. Quirk. 1959. Permeability of porous media. *Nature* 183:387-388.
- ✓ Millington R.J., and J.P. Quirk. 1961. Permeability of porous solids. *Trans. Faraday Soc.* 57:1200-1207.

- ✓ Mitscherlich, E.A. 1901. Untersuchungen über die physikalischen Bodeneigenschaften. Landw. Jahrb. 30, B:360-445.
- ✓ Mitchurin, B.N. 1975. Energetics of Soil Water (in Russian). Gidrometeoizdat (Water and Meteorology Publishers), Leningrad.
- ✓ Miyazaki, T. 1990. Visualization of stream lines in layered soils. In: Trans. 14th Congress of Soil Sci., ISSS, Kyoto, I:272-273.
- Mls, J. 1980. Effective rainfall estimation. J. Hydrol. 45:305-311.
- ✓ Mls, J. 1982. Formulation and solution of fundamental problems of vertical infiltration (in Czech). Vodohosp. Čas. 30:304-313.
- Molz, F.J. 1981. Models of water transport in the soil-plant system: A review. Water Resour. Res. 17:1245-1260.
- Monin, A.S. and M.A. Obukhov. 1954. Basic laws of turbulent mixing in the ground layer of the atmosphere. Tr. Geofiz. Institut Akad. Nauk SSSR, p. 163-187.
- Monteith, J.L. 1981. Evaporation and surface temperature. Quart. J. Roy. Meteor. Soc. 107:1-27.
- ✓ Morel-Seytoux, H.J. 1976. Derivation of equations for rainfall infiltration. J. Hydrol. 31:203-219.
- ✓ Morel-Seytoux, H.J. 1982. Analytical results for prediction of variable rainfall infiltration. J. Hydrol. 59:209-230.
- ✓ Morel-Seytoux, H.J. 1983. Infiltration affected by air, seal, crust, ice and various sources of heterogeneity. In: Advances in Infiltration. ASAE Publ. 11-83, St. Joseph, Michigan, p. 132-146.
- ✓ Mualem, Y. 1976. A new model for predicting the hydraulic conductivity of unsaturated porous media. Water Resour. Res. 12:513-522.
- Mualem, Y. 1984. A modified dependent domain theory of hysteresis. Soil Sci. 137:283-291.
- ✓ Mualem, Y., L. Assouline and H. Rohdenburg. 1990. Rainfall induced soil seal. A. A critical review of observations and models. B. Application of a new model to saturated soils. C. A dynamic model with kinetic energy instead of cumulative rainfall as independent variable. Catena 17:185-203, 205-218 and 289-303.
- ✓ Nielsen, D.R. and J.W. Biggar. 1961. Measuring capillary conductivity. Soil Sci. 92:192-193.
- ✓ Nielsen, D.R. and J.W. Biggar. 1967. The physical characterization of field soils. In: E.F. Bradley and O.T. Denmead (Eds.): The Collection and Processing of Field Data-CSIRO symposium. Wiley Interscience, New York.
- Nielsen, D.R., J.W. Biggar and K.T. Erh. 1973. Spatial variability of field measured soil water properties. Hilgardia 42:215-259.
- ✓ Nielsen, D.R., J.W. Biggar and R.J. Miller. 1967. Field observations of infiltration and soil-water redistribution. Trans. Am. Soc. Agr. Eng. 10:382-387.
- ✓ Nielsen, D.R., J.M. Davidson, J.W. Biggar and R.J. Miller. 1964. Water movement through Panoche clay loam. Hilgardia 35:491-506.
- Nielsen, D.R., D. Kirkham and W.R. van Wijk, 1961. Diffusion equation calculations of field soil water infiltration profiles. Soil Sci. Soc. Am. J. 25:165-168.
- ✓ Nielsen, D.R., M.T. van Genuchten and J.W. Biggar. 1986. Water flow and solute transport processes in the unsaturated zone. Water Resour. Res. 22:89S-108S.
- ✓ Othmer, H., B. Diekkrüger and M. Kutflek. 1991. Bimodal porosity and unsaturated hydraulic conductivity. Soil Sci. 152:139-150.
- Paningbatan, E.P. 1980. Determination of soil moisture characteristic and hydraulic conductivity using a centrifuge. Unpublished Ph.D. dissertation, Univ. Calif., Davis. pp 197.
- ✓ Parlange, J.Y. 1971. Theory of water movement in soils. 1. One-dimensional absorption. Soil Sci. 111:134-137.
- ✓ Parlange, J.Y. 1972. Theory of water movement in soils: 8. One-dimensional infiltration with constant flux at the surface. Soil Sci. 114:1-4.
- ✓ Parlange, J.Y. 1975. On solving the flow equation in unsaturated soils by optimization: Horizontal infiltration. Soil Sci. Soc. Am. Proc. 39:415-418.
- ✓ Parlange, J.Y. and R.E. Smith. 1976. Ponding time for variable rainfall rates. Can. J. Soil Sci. 56:212-223.
- ✓ Parlange, J.Y., R. Haverkamp and J. Touma. 1985. Infiltration under ponded conditions: I. Optimal analytical solution and comparison with experimental observations. Soil Sci. 139:305-311.
- ✓ Parlange, J.Y., I. Lisle, R.D. Braddock and R.E. Smith. 1982. The three parameter infiltration equation. Soil Sci. 133:337-341.

- ✓ Perroux, K.M. and I. White. 1988. Design for disc permeameter. *Soil Sci. Soc. Am. J.* 52:1205-1215.
- ✓ Perroux, K.M., D.E. Smiles and I. White. 1981. Water movement in uniform soils during constant flux infiltration. *Soil Sci. Soc. Am. J.* 45:237-240.
- ✓ Peschke, G. and M. Kutlek. 1976. The role of preferential ways in infiltration. In: M. Kutlek and J. Šútor (Eds.): *Water in Heavy Soils III. Intl. Symp. Proceedings ICID-ISSS (International Commission on Irrigation and Drainage - International Soil Science Society) Symposium in Bratislava, Czechoslovak Scientific Technical Society Publisher, Prague, p. 70-84.*
- ✓ Peschke, G. and M. Kutlek. 1982. Infiltration model in simulated hydrographs. *J. Hydrol.* 56:369-379.
- ✓ Peterson, A.E. and G.D. Bubenzer. 1986. Intake rate: Sprinkler infiltrometer. In: A. Klute (Ed.): *Methods of Soil Analysis, Part I. Agronomy Monograph*
- ✓ Philip, J. R. 1955. Numerical solution of equations of the diffusion type with diffusivity concentration-dependent. *Trans. Faraday Soc.* 51:885-892.
- ✓ Philip, J.R. 1957a. The theory of infiltration: 1. The infiltration equation and its solution. *Soil Sci.* 83:345-357.
- ✓ Philip, J.R. 1957b. The theory of infiltration: 4. Sorptivity and algebraic infiltration equations. *Soil Sci.* 84:257-267.
- ✓ Philip, J.R. 1957c. The theory of infiltration: 5. The influence of the initial moisture content. *Soil Sci.* 84:329-339.
- Philip, J.R. 1957d. The physical principles of water movement during the irrigation cycle. *Proc. Intl. Congr. ICID* 8:124-154.
- Philip, J.R. 1958a. The osmotic cell, solute diffusibility and the plant water economy. *Plant Physiol.* 33:264-271.
- ✓ Philip, J.R. 1958b. The theory of infiltration: 6. Effect of water depth over soil. *Soil Sci.* 85:278-286.
- ✓ Philip, J.R. 1960. General method of exact solution of the concentration-dependent diffusion equation. *Aust. J. Phys.* 13:1-12.
- ✓ Philip, J.R. 1969a. Theory of infiltration. *Advances Hydrosc.* 5:215-305, Academic Press, New York.
- Philip, J.R. 1969b. Hydrostatics and hydrodynamics in swelling soils. *Water Resour. Res.* 5:1070-1077.
- ✓ Philip, J.R. 1973. On solving the unsaturated flow equation: 1. The flux-concentration relation. *Soil Sci.* 116:328-335.
- Philip, J.R. 1980. Field heterogeneity: Some basic issues. *Water Resour. Res.* 16:443-448.
- ✓ Philip, J.R. 1987. The infiltration joining problem. *Water Resour. Res.* 23:2239-2245.
- Philip, J.R. and D.A. de Vries. 1957. Moisture movement in porous materials under temperature gradients. *Trans. Am. Geophys. Union* 38:222-232.
- ✓ Philip, J.R. and J.H. Knight. 1974. On solving the unsaturated flow equation 3: New quasi-analytical technique. *Soil Sci.* 117:1-13.
- ✓ Poulouvassilis, A., P. Kerkides, S. Elmaloglou and J. Argyrokastritis. 1991. An investigation on the relationship between ponded and constant flux rainfall infiltration. *Water Resour. Res.* 27:1403-1409.
- ✓ Pullan, A. 1990. The quasilinear approximation for unsaturated porous media flow. *Water Resour. Res.* 26:1219-1234.
- ✓ Raats, P.A.C. 1988. Analytical/quasi-analytical approaches to unsaturated flow: Commentary. In: W.L. Steffen and O.T. Denmead (Eds.): *Flow and Transport in the Natural Environment: Advances and Applications.* Springer Verlag, Berlin, p. 48-58.
- ✓ Reynolds, W.D. and D.E. Elrick. 1985. *In situ* measurement of field saturated hydraulic conductivity, sorptivity and the α -parameter using the Guelph permeameter. *Soil Sci.* 140:292-301.
- ✓ Rieu, M. and G. Sposito. 1991. Fractal fragmentation, soil porosity and soil water properties. I. Theory. II. Applications. *Soil Sci. Soc. Am. J.* 55:1231-1238 and 1239-1244.
- ✓ Rose, C.W., W.R. Stern and J.E. Drummond. 1965. Determination of hydraulic conductivity as a function of depth and water content from a soil *in situ*. *Aust. J. Soil Res.* 3:1-9.
- ✓ Rubin, J. 1966. Theory of rainfall uptake by soils initially drier than their field capacity and its applications. *Water Resour. Res.* 2:739-749.
- ✓ Rubin, J. 1967. Numerical method for analyzing hysteresis-affected, post-infiltration redistribution of soil moisture. *Soil Sci. Soc. Am. Proc.* 31:13-20.
- ✓ Rubin, J. and R. Steinhardt, 1964. Soil water relations during rain infiltration: III. Water uptake at incipient ponding. *Soil Sci. Soc. Am. Proc.* 28:614-619.

- ✓ Scheidegger, A.E. 1957. *The Physics of Flow through Porous Media*. Second edition, 1960. Univ. Toronto Press, Toronto.
- ✓ Schweikle, V. 1982. *Gefügeeigenschaften von Tonböden*. Verlag Eugen Ulmer, Stuttgart.
- ✓ Shainberg, I., J.D. Rhoades and R.J. Prather. 1981. Effect of low electrolyte concentration on clay dispersion and hydraulic conductivity of a sodic soil. *Soil Sci. Soc. Am. J.* 45:273-277.
- ✓ Sharma, M.L., R.J. Luxmoore, R. de Angelis, R.C. Ward and G.T. Yeh. 1987. Subsurface water flow simulated for hillslopes with spatially dependent soil hydraulic characteristics. *Water Resour. Res.* 23:1523-1530.
- Simmons, C.S. 1982, A stochastic-convective transport representation of dispersion in one-dimensional porous media systems. *Water Resour. Res.* 18:1193-1214.
- ✓ Simmons, C.S., D.R. Nielsen and J.W. Biggar. 1979. Scaling of field-measured soil-water properties. I. Methodology. II. Hydraulic conductivity and flux. *Hilgardia* 47:74-173.
- ✓ Smettem, K.R.J. and B.E. Clothier. 1989. Measuring unsaturated sorptivity and hydraulic conductivity using multiple disc permeameters. *J. Soil Sci.* 40:563-568.
- Smiles, D.E. and M.J. Rosenthal. 1968. The movement of water in swelling materials. *Aust. J. Soil Res.* 6:237-248.
- ✓ Smiles, D.E. and E.G. Youngs. 1965. Hydraulic conductivity determinations by several field methods in a sand tank. *Soil Sci.* 99:83-87.
- ✓ Swartzendruber, D. 1962. Modification of Darcy's law for the flow of water in soil. *Soil Sci.* 93:22-29.
- ✓ Swartzendruber, D. 1963. Non-Darcy behavior and the flow of water in unsaturated soils. *Soil Sci. Soc. Am. Proc.* 27:491-495.
- Swartzendruber, D. 1969. The flow of water in unsaturated soils. In: R.J.M. De Wiest (Ed.): *Flow through Porous Media*. Academic Press, New York, p. 215-292.
- ✓ Swartzendruber, D. 1987. A quasi-solution of Richards' equation for the downward infiltration of water into soil. *Water Resour. Res.* 23:809-817.
- ✓ Takagi, S. 1960. Analysis of the vertical downward flow of water through a two-layered soil. *Soil Sci.* 90:98-103.
- ✓ Talsma, T. 1969. *In situ* measurement of sorptivity. *Aust. J. Soil Res.* 7:269-276.
- ✓ Thony, J.L., G. Vachaud, B.E. Clothier and R. Angulo-Jaramillo. 1991. Field measurement of the hydraulic properties of soil. *Soil Tech.* 4:111-123.
- ✓ Vachaud, G., M. Vauclin and R. Laty. 1990b. CARHYD: A computer aided system for characterization of the hydraulic conductivity of field soils. *Soil Tech.* 3:131-144.
- ✓ van Genuchten, M.Th. 1980. A closed form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Sci. Soc. Am. J.* 44:892-898.
- ✓ van Genuchten, M.Th. 1981. A comparison of numerical solutions of the one-dimensional unsaturated-saturated flow and mass transport equations. *Advances Water Res.* 5:47-55.
- ✓ van Genuchten, M.Th. and D.R. Nielsen. 1985. On describing and predicting the hydraulic properties of unsaturated soils. *Annales Geophysicae* 3:615-628.
- ✓ Vauclin, M., J.L. Thony, G. Vachaud, P. Revol, P. Ruelle, D.E. Elrick and B.E. Clothier. 1991. Field determination of soil hydraulic properties by suction and pressure infiltrometers Paper presented at EGS XVI Meeting. April, Wiesbaden.
- ✓ Veihmeyer, F.J., O.W. Israelsen and J.P. Conrad. 1924. The moisture equivalent as influenced by the amount of soil used in its determination. Tech. Paper 16, Univ. of Calif., Coll. of Agric., Berkeley.
- ✓ Vogel, T. and M. Císlarová. 1988. On the reliability of unsaturated hydraulic conductivity calculated from the moisture retention curve. *Transp. Porous Media* 3:1-16.
- ✓ Warrick, A.W. 1992. Models for disc infiltrometers. *Water Resour. Res.* 28:1319-1327.
- Warrick, A.W. 1993. Inverse estimation of soil hydraulic properties with scaling: one dimensional infiltration. *Soil Sci. Soc. Am. J.* 57:631-636.
- ✓ Warrick, A.W. and A.A. Hussen. 1993. Scaling of Richards' equation for infiltration and drainage. *Soil Sci. Soc. Am. J.* 57:15-18.
- Warrick, A.W., D.O. Lomen and A. Islas. 1990. An analytical solution to Richards' equation for a draining soil profile. *Water Resour. Res.* 26:253-258.

- ✓ White, I. and P. Broadbridge. 1988. Constant rate rainfall infiltration: A versatile nonlinear model. 2. Application of solutions. *Water Resour. Res.* 24:155-162.
- ✓ White, I. and K.M. Perroux. 1987. Use of sorptivity to determine field soil hydraulic properties. *Soil Sci. Soc. Am. J.* 51:1093-1101.
- ✓ White, I. and K.M. Perroux. 1989. Estimation of unsaturated hydraulic conductivity from field sorptivity measurements. *Soil Sci. Soc. Am. J.* 53:324-329.
- ✓ White, I., M.J. Sully and M.D. Melville. 1989. Use and hydrological robustness of time-to-incipient ponding. *Soil Sci. Soc. Am. J.* 53:1343-1346.
- ✓ Wooding, R.A. 1968. Steady infiltration from a shallow circular pond. *Water Resour. Res.* 4:1259-1273.
- Wösten, J.H.M. 1990. Quantification of soil hydraulic variability to allow accuracy estimation of model output. *Trans. 14th Intl. Congress of Soil Sci., ISSS, Kyoto, I*:134-139.
- ✓ Wösten, J.H.M. and M.Th. van Genuchten. 1988. Using texture and other soil properties to predict the unsaturated soil hydraulic functions. *Soil Sci. Soc. Am. J.* 52:1762-1770.
- ✓ Youngs, E.G. 1964. An infiltration method of measuring the hydraulic conductivity of unsaturated porous materials. *Soil Sci.* 97:307-311.
- Youngs, E.G. 1983. The use of similar media theory in the consideration of soil water redistribution in infiltrated soils. In: *Advances in Infiltration*. ASAE Publication 1183, St. Joseph, Mich., p. 48-54.
- Yule, D.F. and J.T. Ritchie. 1980. Soil shrinkage relationships of Texas vertisols: Small cores. *Soil Sci. Soc. Am. J.* 44:1285-1291.
- ✓ Zaslavsky, D. 1970. Some Aspects of Watershed Hydrology. USDA-ARS No. 41-157.
- ✓ Zaslavsky, D. and G. Sinai. 1981. Surface hydrology: IV. Flow in sloping layered soil. *ASCE* 107, No. HY 1:1-93.

EXTENSION OF REFERENCES

- Berkowitz, B. and R.P. Ewing, 1998. Percolation theory and network modeling: Application in soil physics. *Surveys in Geophysics*, 19:23-72.
- Durner, W. 1991. Vorhersage der hydraulischen Leitfähigkeiten strukturierten Böden. Doktor Dissertation, Bayreuth Universität.
- Durner, W. 1992. Predicting the unsaturated hydraulic conductivity using multi-porosity water retention curves. In: M.T. van Genuchten, F. J. Leij and L.J. Lund (Eds.) *Indirect Methods for Estimating the Hydraulic Properties of Unsaturated soils*. University of California.
- Fuentes, C., M. Vauclin, J.Y. Parlange, R. Haverkamp, 1996. A note on the soil water conductivity of a fractal soil. *Transp. Porous Media* 23:31-36.
- Garnier, P., M. Rieu, P. Boivin, M. Vauclin and P. Baveye, 1997. Determining the hydraulic properties of a swelling soil from a transient evaporation experiment. *Soil Sci. Soc. Am. J.* 61:1555-1563.
- Garnier, P., M. Rieu, P. Boivin, M. Vauclin and P. Baveye, 1997. Determining the hydraulic properties of a swelling soil from a transient evaporation experiment. *Soil Sci. Soc. Am. J.* 61:1555-1563.
- Giménez, D., E. Perfect, W. J. Rawls, Ya. Pachepsky, 1997. Fractal models for predicting soil hydraulic properties: A review. *Eng. Geology* 48:161-183.
- Ju, S.-H. and K.-J.S. Kung, 1997. Impact of funnel flow on contaminant transport in sandy soils. *Soil Sci. Soc. Am. J.* 61:409-415 and also: 61:416-427, 61:427-435.
- Korvin, G., 1992. *Fractal Models in the Earth Sciences*. Elsevier, Amsterdam.
- Kutilek, M., 1996. Water relations and water management of Vertisols. In: N. Ahmad and A. Mermut (Eds.): *Vertisols and Technologies for their Management*. Elsevier, p. 201-230.
- Kutilek, M., 1997. Measurements of environmental parameters. In: P.E. Cruvinel, S. Crestana, L.M. Neto, L.A. Colnago, and L.H.C. Mattoso: *Anais do I Siagro I Simpósio Nacional de Instrumentação Agropecuária*. EMBRAPA-CNPDA, pp.43-49.
- Mandelbrot, B.B., 1982. *The Fractal Geometry of Nature*. Freeman, NY.
- Nielsen, D.R., M. Kutilek, and M.B. Parlange, 1996. Surface soil water content regimes: Opportunities in soil science. *J. Hydrol.* 184:35-55.
- Onody, R.N., A.N.D. Posadas, and S. Crestana, 1995. Experimental studies of the fingering phenomena in two dimensions and simulation using a modified invasion percolation model. *J. Appl. Phys.* 78:2970-2976.
- Pachepsky, Ya., V. Yakovchenko, M. C. Rabenhorst, C. Pooley, L. J. Sikora, 1996. Fractal parameters of pore surfaces as derived from micromorphological data: Effect of long-term management practices. *Geoderma* 74:305-319.
- Perfect, E., 1997. Fractal models for the fragmentation of rocks and soils: A review. *Eng. Geology* 48:185-198.
- Perfect, E., B. D. Kay and V. Rasiyah, 1993. Multifractal model for soil aggregate fragmentation. *Soil Sci. Soc. Am. J.*, 57:896-900.
- Perfect, E., M. Diaz-Zorita and J.H. Grove, 2001. A prefractal model for predicting fragment-size distributions. *Soil and Till. Res.*, in press.

- Perrier, E., C. Mullon, M. Rieu and G. de Marsily, 1995. Computer construction of fractal soil structures: Simulation of their hydraulic and shrinking properties. *Water Resour. Res.* 31:2927-2943.
- Perrier, E., M. Rieu, G. Sposito and G. de Marsily, 1996. Models of the water retention curve for soils with a fractal pore size distribution. *Water Resour. Res.* 32:3025-3031.
- Ritsema, C.J. and L.W. Dekker, 1994. How water moves in a water repellent sandy soil. 2. Dynamics of fingered flow. *Water Resour. Res.* 30:2519-2531.
- Ritsema, C.J., 1998. Stable or unstable wetting fronts in water repellent soils - Effect of antecedent soil moisture content. *Soil Technology*, in press.
- Rogowski, A.J. and J.K. Wolf, 1994. Incorporating variability into soil map unit delineation. *Soil Sci. Soc. Am. J.* 58:163-174.
- Yanuka, M. 1992 . Percolation theory approach to transport phenomena in porous media. *Transport in Porous Media* 7:265-282.