



**The Abdus Salam
International Centre for Theoretical Physics**



1856-12

2007 Summer College on Plasma Physics

30 July - 24 August, 2007

**Numerical methods and
simulations. Lecture 1: Basic commands in Matlab**

B. Eliasson
*Institut Für Theoretische Physik IV
Ruhr-Universität Bochum
Germany*

Summer College on Plasma Physics
ICTP
Trieste, Italy
30 July – 24 August 2007

Course: **Numerical methods and simulations with Matlab**

Tutor: Bengt Eliasson
E-mail: bengt@tp4.rub.de
Internet address: www.tp4.rub.de/~bengt

Lecture 1: Basic commands in Matlab

In Linux, first open a Console (Terminal).

Matlab is started with the command

```
matlab (press Enter)
```

The basic data in Matlab is *matrices*. Example: The command

```
a=[1 3 2]
```

creates a 1×3 row matrix. The command

```
a=[1;3;2]
```

or

```
a=[1 3 2]'
```

creates a 3×1 column matrix. The apostrophe (') transposes matrices.

Assignment without output to screen: Use semi-colon after command. Example:

```
c=a+b; (no output to screen)
```

```
c (writes "c=2 4 3 5")
```

Basic operations on matrices:

Add two matrices. Example

```
a=[1 3 2 4]
```

```
b=[1 1 1 1]
```

```
c=a+b
```

gives the output "c=2 4 3 5"

Element-wise multiplication:

```
a=[1 3 2 4]
```

```
b=[3 2 1 1]
```

```
c=a.*b
```

gives the output "c=3 6 2 4"

Element-wise division:

```
c=a./b
```

gives the output "c=0.3333 1.5 2 4"

Element-wise power:

```
c=a.^2
```

gives the output "c=1 9 4 16"

Colon notation: practical way to make x-vectors.

```
x=(0:3)
```

gives the output "x=0 1 2 3"

```
x=(0:100)*0.1 (gives "x=0 0.1 0.2 ...9.9 10")
```

Plot a figure:

```
plot(x,sin(x))
```

Label the x-axis:


```
xlabel('x')
```

Label the y-axis:

```
ylabel('y')
```

Make a title:

```
title('y=sin(x)')
```



Make a figure file:

```
print -deps fig1.eps
```

(for color figure type: `print -depsc fig1.eps`)

In Linux, you can view the figure file with the command:

```
gv fig1.eps
```

For help on in Matlab, type `help command`, for example

```
help print
```

```
help abs
```

```
help sin
```

Use the command

```
helpdesk
```

to browse commands.

Create your first program in Matlab, choose from the menu

File / New / M-file

Inside the file, write

```
disp('Hello world!');
```

then choose *File / Save As* and Filename: `hello.m`

If you now in Matlab type

```
hello
```

then the text `Hello world!` will appear

To modify the "hello.m" program, choose *File / Open* from the menu, then click on hello.m and chose Open.