



*The Abdus Salam
International Centre for Theoretical Physics*



1967-20

Advanced School in High Performance and GRID Computing

3 - 14 November 2008

Error Messages and Debugging

KOHLMEYER Axel
*University of Pennsylvania
Department of Chemistry
231 South 34th Street
PA 19104 Philadelphia
U.S.A.*

Debugging

ICTP Advanced School in High Performance and GRID Computing

Axel Kohlmeyer

Center for Molecular Modeling

ICTP, Trieste – Italy, 07 November 2008



the **abdus salam**
international centre for theoretical physics



What is Debugging?

- Identifying the cause of an error and correcting it
- Once you have identified defects, you need to:
 - find and understand the cause
 - remove the defect from your code
- Statistics show 60% of bug 'fixes' are not correct,
-> remove the symptom, but not the cause
- Improve productivity by getting it right the first time
- A lot of programmers don't know how to debug!
- Debugging needs practice and experience:
-> understand the science and the tools

Debugging (2)

- Debugging is a last resort:
 - Doesn't add functionality
 - Doesn't improve the science
- The best debugging is to avoid bugs:
 - Good program design
 - Follow good programming practices
 - Always consider maintainability and readability of code over getting results fast
 - Maximize modularity and code re-use

Errors are Opportunities

- Learn from the program you're working on:
 - Errors mean you didn't understand the program, If you knew it perfectly, it wouldn't have an error. You would have fixed it already
- Learn about the kind of mistakes you make:
 - If **you** wrote the program, **you** inserted the error
 - Once you find a mistake, ask yourself:
 - Why did you make it?
 - How could you have found it more quickly?
 - How could you have prevented it?
 - Are there other similar mistakes in the code?
-> Better to correct them now!

How to **NOT** do Debugging

- Find the error by guessing
- Change things randomly until it works again
- Don't keep track of what you changed
- Don't backup the original
- If the error is suddenly gone, trying to understand the problem, is a waste of time
- Fix the error with the most obvious fix
- If wrong code gives the correct result, and changing it doesn't work, don't correct it.

Debugging Tools

- Source code comparison tools:
diff, vimdiff, tkdiff, emacs/ediff
 - Help you to find changes
- Source analysis tools:
compiler warnings, ftnchek, lint
 - Help you to find problematic code
 - > **Always** enable warnings when programming
 - > **Always** take warnings seriously
 - > **Always** compile/test on multiple platforms
 - > Only ignore warnings you understand, if at all
- Debuggers: gdb, dbx, idb, pdbg, ddd (GUI)

Purpose of a Debugger

- Better than print statements
- Allows to stop/start/single step execution
- Look at data **and** modify it
- '*Post mortem*' analysis from core dumps
- Prove / disprove hypotheses
- Easier to use with modular code
- No substitute for good thinking
- **But**, sometimes good thinking is not a substitute for a good debugger!

Using a Debugger

- When compiling use -g option to include debug info in object (.o) and executable
- 1:1 mapping of execution and source code only with disabled optimization
 - > problem when optimization uncovers bug
- GNU compilers allow -g with optimization
 - > not always correct line numbers
 - > variables/code can be 'optimized away'
- `strip` command removes debug info

How to Report a Bug

- Research whether bug is known/fixed
-> web search, mailing list archive
- Provide description on how to reproduce the problem. Find a minimal input to show bug.
- Always state hardware/software you are using (distribution, compilers, appl. version)
- Demonstrate, that you have invested effort
- Make it easy for others to help you!