Moment Tensor & Source Depth Inversion Program (double-couple approximation) Reference Manual

A. Mostinskiy, B. Bukchin

International Institute for Earthquake Prediction Theory and Mathematical Geophysics, Moscow, Russian Federation

Contents

- 1. Menu and Toolbar
- 2. Input (observed data) and output (results)
- 3. Preparing data for inversion
- 4. Calculation and View of results
- 5. Appendix (theoretical basis)

MomTens program

Menu and Toolbar

DBMap.....

Results.....



Below we provide first-hand information on the menu and related icons. Further details can be found in the next sections.





Open Project File.

Save Project file.

Mr. Selection of records to be used for inversion.

This icon opens a window-based dialog to remove and add records.

Stations and related structural models. *This icon opens a window-based dialog that* relates a station to its structural model.



Spectral Range Discretization.



Selection and Rarefaction of Original Polarities.

Specifying a grid in parameter space.

2 Moment Tensor and Source Depth Calculation.



View of all project lists and parameters.



View of the map of stations for selected wfdisc records.



Viewing the results.



I. Input data

1. The program reads filtered records and all the information concerning stations and event. If the original Data base is created from Seed volumes, then the instrument responses are given for displacements. If the Data base is created from AH binary files, then responses in these files must be given for displacements as well.

1a Starting a new project (an inversion of a given set of observations) use the icon

or item "New" in the File menu. The following window will appear:



The user have to browse file names related to different items displayed in the window.

Define Project Directory:

The new project name cannot be inserted in the related box shown in the window above. Browse project directory and type project name in browser's "Selection" box (an extension "**spr**" will be automatically appended).

Filtered Waveform Disc Db Name:

Browse saved location of ftan results and click on "table.wfdisc" file.

Instrument, Site, Sensor, Db Root Names:

Browse Data base directory and click on any of files "drn.instrument", "drn.site", "drn.sensor" ('drn' is the *Db Root Name*).

Origin Info Event Db Name:

Browse Data base directory and click on file "drn.origin".

Note.

If you have filtered any seismograms twice or more times and then saved the results, you will have two or more filtered records in the wfdisc Data base table with the same station and channel names. See **<u>Preparing data for inversion</u>** for removing "doubled" records.

<u>1b.</u> It is possible to start a session using a Project File saved earlier.

Click "Open" button in or "Open" menu item. Using "Browse" button and the directory-file navigator find the Project File you would like to work with.

2. Before starting a new Project you have to create a directory structure containing structural models, first arrival polarity data, and surface wave average phase velocity along the paths. The name of the directories should be as follows: MODELS/ POLAR/ PH_VEL/, and should reside in the directory from where the program MomTens is executed.

<u>**2a.**</u> MODELS - this directory contains the structural models (ascii files) for the epicentral area and station vicinities.

Every row represents a layer in the model. The format of the ascii file is the following:

N f1 f2 f3 f4 f1 f2 f3 f4 f1 f2 f3 f4 f2 f3 f4

where N is the number of layers in the model (number of rows starting from the 2-nd), f1 is the layer thickness in km, f2 is P wave velocity in km/s, f3 is S wave velocity in km/s, and f4 is density in g/sm^3 . The last row represents the characteristics of the half-space and does not contain a layer thickness.

The files of the structural models must have the following names:

"name.mod", where extension "mod" is fixed, and "name" is arbitrary for station models. If for any stations or/and epicentral zone the models are not available they will be calculated by 3SMAC program (see Ricard Y., H-C. Nataf & J-P. Montagner, The 3SMAC model. Confrontation with seismic data, J. Geophys. Res., 1995).

<u>2b.</u> POLAR - this directory contains information concerning the first arrival-polarity data. It can be given by file "bulletin" - USGS bulletin (monthly <u>ftp://hazards.cr.usgs.gov/edr/mchedr</u> and weekly <u>ftp://hazards.cr.usgs.gov/weekly</u>) or/and by ascii file "polarity.sup" with supplementary first arrival-polarity data.

The values for take-off angles for first arrivals from file "bulletin" will be calculated using IASPEI Travel Time Software (AK135 version). Only those of polarities from "bulletin" which correspond to epicentral distances from 20 to 90 degrees will be used.

If polarity data are not available this subdirectory does not have to be created.

The format of the "polarity.sup" file is the following (there is no any restriction on epicentral distances):

f1 f2 f3 f1 f2 f3

Every row of this file contains polarity data for one station. f1 is the source-station azimuth, f2 is the take-off angle of the first arrival, f3=-1 for dilatation, and f3=1 for compression.

<u>2c.</u> PH_VEL; this directory contains (for every surface wave record to be used in the inversion) an ascii file with averaged (along path) phase velocity as a function of period. The names of these files have to correspond to the station names. A file containing velocities of Love waves recorded at the station "XXX" has to be named "XXX.I"; the file with Rayleigh velocities has to be named "XXX.r". If phase velocity data are not available, this subdirectory does not have to be created. In that case PREM velocity model for all traces will be used by default. The format of "XXX.I" and "XXX.r" files is the following:

f1 f2 f1 f2

where:

f1 is the period in seconds, and f2 is the corresponding surface wave phase velocity.

II. Output results

If "T100_250.spr" is the name of the Project, then the program will create a subdirectory "T100_250.SPR" in the "/opt/fmt/example/MomTens" directory. The results of the inversion will be placed in its subdirectory named "RESULTS". The structure of subdirectory "RESULTS" will be organized as follows:

DEPTH.PS/ MAPS.PS/ MECHA.PS/ OBS_CALC.PS/ POLARITY.PS/ All these directories contain output graphics in postscript format. This output is described in the section "View".

Preparing data for inversion

1

Before we start the inversion procedure, the following actions have to be performed.

<u>1.</u> Selection of records to be used for inversion

The window-based dialog as shown here below selects the records to be used for inversion. The names of available records are listed in the left frame, the names of records selected for inversion – in the right frame. By default the content of these two frames is the same.

🚩 MomTens V Ap	p Edit Record List					
WFdisc: table.wfdisc						
Project: 110	0_200, spr					
Cance						
Records in W	FDisc :		Records in P	roject :		
RAK:1:LHT	6/24/2005 10:51:13	X	AAK:1:LHT	6/24/2005 10:51:13		
AAK:1:LHZ	6/24/2005 10:51:13		AAK:1:LHZ	6/24/2005 10:51:13	Aursei	
CTAO:1:LHT	6/24/2005 11: 8:52		CTAO:1:LHT	6/24/2005 11: 8:52		
CTAO:1:LHZ	6/24/2005 11: 8:52		CTAO:1:LHZ	6/24/2005 11: 8:52	Add All	
KONO:1:LHZ	6/24/2005 11:12:12		KONO:1:LHZ	6/24/2005 11:12:12		
LYC:1:LHZ	6/24/2005 11:14:52		LYC:1:LHZ	6/24/2005 11:14:52		
MTE:1:LHT	6/24/2005 11:17:46		MTE:1:LHT	6/24/2005 11:17:46	Del Sel	
HTE:1:LHZ	6/24/2005 11:17:46		MTE:1:LHZ	6/24/2005 11:17:46		
NNA:1:LHT	6/24/2005 11:19:49		NNA:1:LHT	6/24/2005 11:19:49	E B-LAR	
PTCN:1:LHZ	6/24/2005 11:21: 4		PTCN:1:LHZ	6/24/2005 11:21: 4		
RCBR:1:LHT	6/24/2005 11:23:45		RCBR:1:LHT	6/24/2005 11:23:45		
RCBR:1:LHZ	6/24/2005 11:23:45		RCBR:1:LHZ	6/24/2005 11:23:45	Project	
RPN:1:LHT	6/24/2005 11:26: 0		RPN:1:LHT	6/24/2005 11:26: 0		
RPN:1:LHZ	6/24/2005 11;26; 0		RPN:1:LHZ	6/24/2005 11:26: 0		
SNAA:1:LHT	6/24/2005 11:27:31		SNAA:1:LHT	6/24/2005 11:27:31		
SNAA:1:LHZ	6/24/2005 11:27:31		SNAA:1:LHZ	6/24/2005 11:27:31		
TAU:1:LHT	6/24/2005 11:29:48		TAU:1:LHT	6/24/2005 11:29:48		
TAU:1:LHZ	6/24/2005 11:29:48		TAU:1:LHZ	6/24/2005 11:29:48		
HAKE:1:LHT	6/24/2005 11:32: 4		MAKE:1:LHT	6/24/2005 11:32: 4		
HAKE:1:LHZ	6/24/2005 11:32: 4		MAKE:1:LHZ	6/24/2005 11:32: 4		
YAK:1:LHT	6/24/2005 11:35:20		YAK:1:LHT	6/24/2005 11:35:20		
YAK:1:LHZ	6/24/2005 11:35:20		YAK:1:LHZ	6/24/2005 11:35:20		
YSS:1:LHT	6/24/2005 11:33:43		YSS:1:LHT	6/24/2005 11:33:43		
YSS:1:LHZ	6/24/2005 11:33:43	1	YSS:1:LHZ	6/24/2005 11:33:43	X	
		_				

Use the buttons "Add Sel", "Add All", "Del Sel", "Del All" to modify the right list. Buttons "Add Sel"and "Add All" add rows from the left list to the right one. Buttons "Del Sel", "DelAll" delete rows from the right list. To select a record click by mouse button on correspondent row. "Project" button renews the list of Record in Project.

αβρ

2. Structural models and related stations

The window below provides possibility to calculate the structural model for part of stations by 3SMAC program, and to put in correspondence to the rest of stations given models from directory MODELS. The same can be done for the epicentral zone.

If there are models to be calculated by 3SMAC program, push at first the button "3 SMAK MODEL". 3SMAC models will be calculated for all stations and for the epicentral zone. If the model for any station must be taken from directory MODELS click on the model name in the left column (files from directory MODELS) and on correspondent station in the right column. If the model for the epicentral zone must be taken from directory MODELS click on correspondent model name in the left column, push the radio button "Model List", and button "Get Source Model from". In the example below the model from file "000.mod" will be used for the epicentral zone, and for all stations models calculated by 3SMAC program will be used.



<u>3a.</u> Appropriate Spectral Range for every recorded wave

During preliminary filtering by FTAN program, a spectral domain, defined by maximum and minimum periods, is to be determined for every wave where the signal is of a good quality. Type these period values in the text boxes "T min" and "T max" in the uppermost left part of the window. To associate this pair of values to any record click on the correspondent record name.

3b. Spectral grid

After the spectral boundaries for every record are fixed, the spectral range for inversion has to be chosen. Minimum and maximum periods have to be typed in "T min" and "T max" text boxes in the central part of the window. A maximum number of spectral samples (<= 18) has to be typed in the text box N points FFT. The number of samples for the Fast Fourier Transform program calculating the spectra is the last parameter to be defined. Push the arrow in the combo box, choose the number, and push "Get" button. Actual spectral boundaries for every record will appear in the central window. If you will mark by cursor any record in this window, spectral samples related to this record will appear in the right window.

3c. Minimum period for phase spectra inversion

By default the observed phase spectra will be used for the inversion in the full spectral domain. Model PREM will be used in this case to calculate the surface wave phase velocities. If you will type in the text box T min (in the lowermost left part of the window) any value of the period, then the phase spectra will be used for the inversion only for the periods larger than this value.

If you will click on the check box "PhVel" and the directory PH_VEL containing the files with surface wave average phase velocities is already existing, then these velocities interpolated on the grid defined above will be used for computations.

The Spectral Range Discretization. Sect al Range for every wave I nin(sec): 100 102.721 N points FFT I nax(sec): 200 200 200 200 200 200 Bak:1:LHT 100.00 200.00 Addition Nu L 32768 320.05559 30.05559 10.03016	✓ /home/fmt/soft/fmt/example/MomTens/T100_250.spr <2>											
Spectral Range for every wave T nin(sec): 110 Set list T nax(sec): 200 T nin(sec): 100 102.721 N points FFT Seis T_min T_max Set list T nax(sec): 200 248.242 Set 32768 Set 320,00595		The Spectral Range Discretization.						The Spectral				
Spectral Range for every wave Spectral Range T min(sec): 110 Set list T max(sec): 200 T min(sec): 100 Seis T_min T_max MHK:1:LHT 100.00 200.00 HHK:1:LHT 100.00 200.00 CTR0:1:LHT 150.00 250.00 CTR0:1:LHZ 150.00 250.00 CTR0:1:LHZ 100.00 200.00 HEX:1:LHT 100.00 250.00 CTR0:1:LHZ 150.00 250.00 CTR0:1:LHZ 100.00 250.00 LVC:1:LHZ 100.00 250.00 HTE:1:LHT 100.00 250.00 HTE:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 RCBR:1:LHT 100.00 <td< th=""><th colspan="6">Cancel CK</th></td<>	Cancel CK											
T nin(sec): 111/2 Set list T nax(sec): 201/3 Seis T_min T_max RAK:1:LHT 100.00 200.00 ARK:1:LHT 100.00 200.00 ARK:1:LHT 100.00 200.00 CTA0:1:LHZ 100.00 250.00 NTE:1:LHZ 100.00 250.00 CTA0:1:LHZ 100.00 250.00 NHTE:1:LHT 100.00 250.00 NHTE:1:LHZ 105.00 200.00 CTA0:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 NHR1:LHZ 100.00 250.00 RDR:1:LHZ 100.00 250.00 RDR:1:LH								nge	Spectral Ra	ery wave	nge for ev	Spectral Ra
T nax(sec): 20½ Seis T_nin T_nax AffK:1:LHT 100.00 200.00 AffK:1:LHZ 100.00 250.00 CTA0:1:LHZ 150.00 250.00 CTA0:1:LHZ 150.00 250.00 CTA0:1:LHZ 150.00 250.00 CTA0:1:LHZ 150.00 250.00 LVC:1:LHZ 100.00 250.00 LVC:1:LHZ 100.00 250.00 LVC:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 LVC:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 HTE:1:LHZ 100.00 250.00 KOBR:1:LHZ 130.00 250.00 RCBR:1:LHZ 130.00 250.00 RCBR:1:LHZ 100.00 250.00 RCBR:1:LHZ 100.00 250.00 RCBR:1:LHZ 100.00 250.00 RCBR:1:LHZ 100.00 250.00 RPN:1:LHZ			т	nts FF	poir	2.721 N	102	100	T min(sec):	Set list	110	T min(sec):
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$				768	- 32	3.242	248	250	T max(sec):		200	T max(sec):
ARK:1:LHT 100.00 200.00 A ARK:1:LHT 100.00 250.00 A CTR0:1:LHT 150.00 250.00 A CTR0:1:LHZ 150.00 250.00 A CTR0:1:LHZ 150.00 250.00 A CTR0:1:LHZ 150.00 250.00 A CTR0:1:LHZ 100.00 250.00 CTR0:1:LHZ 102.721 18 248.242 LVC:1:LHZ 100.00 250.00 CTR0:1:LHZ 156.785 8 248.242 MTE:1:LHT 100.00 250.00 CTR0:1:LHZ 110.330 16 248.242 MNR1:LHZ 100.00 250.00 HTE:1:LHZ 100.330 14 198.594 MTE:1:LHT 100.00 250.00 HTE:1:LHZ 106.330 14 198.594 RCBR:1:LHT 110.00 250.00 HTE:1:LHZ 102.721 15 198.594 RPN:1:LHT 100.00 250.00 RCBR:1:LHT 102.721 18 248.242			768 1	32	iet	323 G	al: [18 Tota	Nw <= 18 :	T_nax	T_min	Seis
Intri:1:LHT 100:00 250:00 CTR0:1:LHT 150:00 250:00 CTR0:1:LHZ 100:00 250:00 KON0:1:LHZ 110:00 250:00 LVC:1:LHZ 100:00 250:00 LVC:1:LHZ 100:00 250:00 LVC:1:LHZ 100:00 250:00 MTE:1:LHT 105:00 200:00 MTE:1:LHT 100:00 250:00 MTE:1:LHZ 100:00 200:00 NNR:1:LHT 100:00 200:00 RCBR:1:LHT 100:00 200:00 RPN:1:LHT 100:00 200:00 RPN:1:LHZ 100:00 200:00 RPN:1:LHZ 10:00 200:00 RPN:1:LHZ 10:00 200:00 RPN:1:LHZ 10:00:00 200:00		т	<u></u>	N	(L	T_nax	N	T_min	Seis	200.00	100.00	AAK:1:LHT BAK+1+LHZ
CTR0:1:LHZ 150.00 250.00 Intk:1:LHI 102.721 15 138.334 1 0.06017 102.7183 K0N0:1:LHZ 110.00 250.00 CTR0:1:LHZ 102.721 18 248.242 2 0.05996 106.3865 LVC:1:LHZ 120.00 200.00 CTR0:1:LHZ 156.785 8 248.242 4 0.05695 110.3281 MTE:1:LHT 105.00 250.00 CTR0:1:LHZ 110.330 16 248.242 5 0.05695 110.3281 MTE:1:LHT 100.00 250.00 LVC:1:LHZ 110.330 16 248.242 5 0.05622 124.1246 NNA:1:LHT 100.00 250.00 HTE:1:LHZ 106.390 17 248.242 8 0.04640 135.4135 RCBR:1:LHT 115.00 200.00 HTE:1:LHZ 106.390 17 248.242 10 0.04218 14.8666 RPN:1:LHT 140.00 250.00 RCBR:1:LHT 102.721 18 248.242 10 0.04218 14.8666 RPN:1:LHT 140.00 250.00 RCBR:1:LHT<	IFX	409 7400	0.00447		-	100 E04	4 6	100 701	DOK 41 AL UT	250,00	150.00	CTRO:1:LHT
K0N0:1:LHZ 110.00 250.00 Intervention 102.721 10 200.721 110.3281 10 200.723 119.1577 119.1577 10 200.723 119.1577 10 200.723 119.1577 10 200.723 119.1577 10 200.723 119.1577 10 200.723 119.1577 10 200.723 119.1577 10 200.723 119.1577 10 200.723 119.1577 10 200.723 119.1577 10 200.723 110 200.723 110 <th></th> <th>106 3965</th> <th>0.05906</th> <th></th> <th></th> <th>138,034</th> <th>. 10 10</th> <th>102.721</th> <th>HHK:1:LHI 99K+1+LHZ</th> <th>250.00</th> <th>150.00</th> <th>CTA0:1:LHZ</th>		106 3965	0.05906			138,034	. 10 10	102.721	HHK:1:LHI 99K+1+LHZ	250.00	150.00	CTA0:1:LHZ
LVC:1:LHZ 120.00 200.00 CTH0:1:LHZ 156.785 8 248.242 4 0.05484 114.5730 MTE:1:LHT 105.00 250.00 KON0:1:LHZ 156.785 8 248.242 4 0.05484 114.5730 MTE:1:LHT 100.00 250.00 LVC:1:LHZ 124.121 10 198.594 6 0.05062 124.1246 NNA:1:LHT 100.00 250.00 HTE:1:LHZ 106.390 14 198.594 7 0.04851 129.5235 RCBR:1:LHT 115.00 200.00 HTE:1:LHZ 106.390 17 248.242 8 0.04640 135.4135 RCBR:1:LHZ 130.00 220.00 NNA:1:LHZ 102.721 15 198.594 9 0.04429 141.8646 RPN:1:LHZ 100.00 250.00 RCBR:1:LHZ 102.721 18 248.242 10 0.04218 148.9612 RPN:1:LHZ 100.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.4766 SNAA:1:LHZ 100.00 250.00 RPN:1:LHZ <th></th> <th>110 3281</th> <th>0.05695</th> <th>z</th> <th></th> <th>248 242</th> <th>8</th> <th>156 785</th> <th>CT80+1+L HT</th> <th>250.00</th> <th>110.00</th> <th>KON0:1:LHZ</th>		110 3281	0.05695	z		248 242	8	156 785	CT80+1+L HT	250.00	110.00	KON0:1:LHZ
HTE:1:LHT 105.00 200.00 KOND:1:LHZ 110.330 16 248.242 5 0.05273 119.1577 HTE:1:LHZ 100.00 200.00 LVC:1:LHZ 124.121 10 198.594 6 0.05273 119.1577 PTCN:1:LHZ 100.00 250.00 HTE:1:LHZ 124.121 10 198.594 7 0.04851 129.5235 RCBR:1:LHT 115.00 200.00 HTE:1:LHZ 106.390 17 248.242 8 0.04640 135.4135 RCBR:1:LHZ 130.00 250.00 HTE:1:LHZ 102.721 15 198.594 9 0.04429 141.8646 RPN:1:LHZ 110.00 250.00 RCBR:1:LHZ 102.721 18 248.242 10 0.04218 148.9612 RPN:1:LHZ 110.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.47661 SNAA:1:LHZ 100.00 250.00 RPN:1:LHZ 110.330 16 248.242 14 0.03375 186.1684 TAU:1:LHZ 130.00 250.00 RPN:1:LH		114,5730	0.05484	4	5	248.242	8	156.785	CTA0:1:LHZ	200.00	120.00	LYC:1:LHZ
HTE:1:LHZ 105.00 250.00 LVC:1:LHZ 124.121 10 198.594 6 0.05062 124.1246 NNA:1:LHT 100.00 250.00 HTE:1:LHZ 106.390 14 198.594 7 0.04851 129.5235 RCBR:1:LHT 115.00 200.00 HTE:1:LHZ 106.390 17 248.242 8 0.04640 135.4135 RCBR:1:LHZ 130.00 250.00 NNA:1:LHT 102.721 15 198.594 9 0.04429 141.8646 RPN:1:LHZ 100.00 250.00 RCBR:1:LHZ 102.721 18 248.242 10 0.04218 148.9612 RPN:1:LHZ 100.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.47766 SNAA:1:LHZ 100.00 250.00 RPN:1:LHZ 110.330 16 248.242 14 0.03375 186.1684 TAU:1:LHZ 130.00 250.00 SNAA:1:LHZ 102.721 15 198.594 15 0.03164 198.5836 TAU:1:LHZ 130.00 250.00 SNAA:1:L		119, 1577	0.05273	5	5	248.242	16	110.330	KON0:1:LHZ	200.00	105.00	HTE:1:LHT
NNH:1:LHI 100.00 200.00 HTE:1:LHI 106.390 14 198.594 7 0.04851 129.5235 PTCN:1:LHZ 100.00 250.00 HTE:1:LHZ 106.390 17 248.242 8 0.04640 135.4135 RCBR:1:LHT 115.00 200.00 NNA:1:LHT 102.721 15 198.594 9 0.04429 141.8646 RCBR:1:LHT 140.00 250.00 PTCN:1:LHZ 102.721 18 248.242 10 0.04218 148.9612 RPN:1:LHT 140.00 250.00 RCBR:1:LHT 119.156 11 198.594 9 0.04218 148.9612 SNAA:1:LHT 100.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.4776 SNAA:1:LHT 100.00 250.00 RPN:1:LHT 141.853 10 248.242 14 0.03375 186.1684 TAU:1:LHT 130.00 250.00 RPN:1:LHT 102.721 15 198.594 15 0.03164 198.5836 TAU:1:LHZ 130.00 250.00 SNAA:1:		124,1246	0.05062	Ğ	4	198.594	10	124,121	LYC:1:LHZ	250.00	105.00	HTE:1:LHZ
PTCN:1:LHZ 100.00 250.00 HTE:1:LHZ 106.390 17 248.242 8 0.04640 135.4135 RCBR:1:LHT 115.00 200.00 PTCN:1:LHZ 106.390 17 248.242 8 0.04640 135.4135 RCBR:1:LHT 140.00 250.00 PTCN:1:LHZ 102.721 15 198.594 9 0.04429 141.8646 RPN:1:LHT 140.00 250.00 PTCN:1:LHZ 102.721 18 248.242 10 0.04218 148.9612 RPN:1:LHZ 110.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.47761 SNAA:1:LHZ 100.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.47761 SNAA:1:LHZ 100.00 250.00 RPN:1:LHZ 110.330 16 248.242 14 0.03375 186.1684 TAU:1:LHZ 130.00 250.00 SNAA:1:LHZ 102.721 18 248.242 14 0.02953 212.7729 HAKE:1:LHT 110.00 250.00 S		129, 5235	0.04851	7	1	198,594	14	106.390	HTE:1:LHT	200,00	100.00	NNA:1:LHT
RCBR:1:LHT 115.00 200.00 NNA:1:LHT 102.721 15 198.594 9 0.04429 141.8646 RCBR:1:LHZ 130.00 220.00 PTCN:1:LHZ 102.721 18 248.242 10 0.04429 141.8646 RPN:1:LHT 140.00 250.00 RCBR:1:LHZ 102.721 18 248.242 10 0.04218 148.9612 RPN:1:LHZ 110.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.47761 SNAA:1:LHT 100.00 250.00 RCBR:1:LHZ 110.330 16 248.242 13 0.03586 175.2143 SNAA:1:LHT 130.00 250.00 RPN:1:LHZ 110.330 16 248.242 14 0.03375 186.1684 TAU:1:LHZ 130.00 250.00 SNAA:1:LHZ 102.721 18 248.242 16 0.02953 212.7729 HAKE:1:LHT 110.00 250.00 TAU:1:LHZ 102.721 18 248.242 16 0.02953 212.7729 HAKE:1:LHT 110.00 250.00		135,4135	0.04640	8	5	248.242	17	106.390	MTE:1:LHZ	250,00	100.00	PTCN:1:LHZ
RCBR:1:LHZ 130.00 220.00 PTCN:1:LHZ 102.721 18 248.242 10 0.04218 148.9612 RPN:1:LHT 140.00 250.00 RCBR:1:LHT 119.156 11 198.594 11 0.04218 148.9612 RPN:1:LHZ 110.00 250.00 RCBR:1:LHT 119.156 11 198.594 11 0.04028 156.7661 SNAA:1:LHT 100.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.4776 SNAA:1:LHT 130.00 250.00 RPN:1:LHT 141.853 10 248.242 13 0.03586 175.2143 TAU:1:LHT 130.00 250.00 SNAA:1:LHT 102.721 15 198.594 15 0.03164 198.5836 TAU:1:LHZ 110.00 250.00 SNAA:1:LHZ 102.721 18 248.242 16 0.02953 212.7729 HAKE:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 16 0.02531 248.2491 YAK:1:LHT 110.00 250.00 T		141.8646	0.04429	9	1	198,594	15	102.721	NN8:1:LHT	200,00	115.00	RCBR:1:LHT
RPN:1:LHI 140.00 250.00 RCBR:1:LHT 119.156 11 198.594 11 0.04008 156.7661 RPN:1:LHZ 110.00 250.00 RCBR:1:LHT 119.156 11 198.594 11 0.04008 156.7661 SNAA:1:LHZ 100.00 250.00 RCBR:1:LHT 141.853 10 248.242 13 0.03797 165.47766 SNAA:1:LHT 130.00 250.00 RPN:1:LHT 141.853 10 248.242 13 0.03586 175.2143 TAU:1:LHT 130.00 250.00 SNAA:1:LHT 102.721 15 198.594 15 0.03164 198.5836 TAU:1:LHZ 110.00 250.00 SNAA:1:LHT 135.405 11 248.242 16 0.02953 212.7729 HAKE:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 16 0.02953 212.7729 HAKE:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 16 0.02531 248.2491 YAK:1:LHT 110.00 250.00		148,9612	0.04218	10		248.242	18	102.721	PTCN:1:LHZ	220,00	130.00	RCBR:1:LHZ
RPN:1:LHZ 110.00 250.00 RCBR:1:LHZ 135.405 9 212.779 12 0.03797 165.4776 SNAA:1:LHZ 100.00 250.00 RPN:1:LHT 141.853 10 248.242 13 0.03797 165.4776 SNAA:1:LHZ 100.00 250.00 RPN:1:LHT 141.853 10 248.242 13 0.03586 175.2143 TAU:1:LHT 130.00 250.00 SNAA:1:LHT 102.721 15 198.594 15 0.03164 198.5836 TAU:1:LHZ 110.00 250.00 SNAA:1:LHZ 102.721 18 248.242 16 0.02953 212.779 WAKE:1:LHT 110.00 250.00 TAU:1:LHZ 102.721 18 248.242 16 0.02953 212.7729 WAKE:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 17 0.02742 229.1461 YAK:1:LHT 110.00 250.00 HAKE:1:LHT 110.330 13 198.594 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE		156,7661	0.04008	11	1	198.594	11	119,156	RCBR:1:LHT	250.00	140.00	RPN:1:LHI
SNHH:1:LHT 100.00 200.00 RPN:1:LHT 141.853 10 248.242 13 0.03586 175.2143 SNAR:1:LHT 130.00 250.00 RPN:1:LHT 141.853 10 248.242 14 0.03586 175.2143 TAU:1:LHT 130.00 250.00 SNAR:1:LHZ 110.330 16 248.242 14 0.03575 186.1684 TAU:1:LHZ 130.00 250.00 SNAR:1:LHT 102.721 15 198.594 15 0.03164 198.5836 MAKE:1:LHT 110.00 250.00 SNAR:1:LHZ 102.721 18 248.242 16 0.02953 212.7729 MAKE:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 17 0.02742 229.1461 YAK:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE:1:LHT 110.330 13 198.594 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HA		165,4776	0.03797	12	i I	212.779	9	135,405	RCBR:1:LHZ	250,00	110.00	RPN:1:LHZ
SNARA:1:LHZ 100.00 250.00 RPN:1:LHZ 110.330 16 248.242 14 0.03375 186.1684 TAU:1:LHT 130.00 250.00 SNAA:1:LHZ 110.330 16 248.242 14 0.03375 186.1684 TAU:1:LHZ 130.00 250.00 SNAA:1:LHT 102.721 15 198.594 15 0.03164 198.5836 MAKE:1:LHT 110.00 250.00 TAU:1:LHZ 102.721 18 248.242 16 0.02953 212.7729 MAKE:1:LHT 110.00 250.00 TAU:1:LHT 135.405 11 248.242 17 0.02742 229.1461 YAK:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE:1:LHT 110.330 13 198.594 18 0.02531 248.2491 YAK:1:LHZ 110.00 200.00 HAKE:1:LHZ 110.330 16 248.242 18		175,2143	0.03586	13	5	248,242	10	141.853	RPN:1:LHT	200.00	100.00	SNHH:1:LHI
TAU:1:LHT 130.00 250.00 SNRA:1:LHT 102.721 15 198.594 15 0.03164 198.5836 TAU:1:LHZ 130.00 250.00 SNRA:1:LHT 102.721 15 198.594 16 0.02953 212.7729 MAKE:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 16 0.02953 212.7729 MAKE:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 17 0.02742 229.1461 YAK:1:LHT 110.00 250.00 HAKE:1:LHT 110.330 13 198.594 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE:1:LHZ 110.330 13 198.594 18 0.02531 248.2491		186, 1684	0.03375	14	5	248,242	16	110.330	RPN:1:LHZ	250,00	100.00	SNAA:1:LHZ
TAU:1:LHZ 130.00 250.00 SNAR 1:LHZ 102.721 18 248.242 16 0.02953 212.7729 WAKE:1:LHT 110.00 200.00 TAU:1:LHZ 135.405 11 248.242 17 0.02742 229.1461 YAK:1:LHT 110.00 250.00 TAU:1:LHZ 135.405 11 248.242 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE:1:LHT 110.330 13 198.594 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE:1:LHZ 110.330 16 248.242 18 0.02531 248.2491		198,5836	0.03164	15	1	198.594	15	102.721	SN88:1:LHT	250,00	130.00	TAU:1:LHT
HAKE:1:LHT 110.00 200.00 TAU:1:LHT 135.405 11 248.242 17 0.02742 229.1461 HAKE:1:LHZ 110.00 250.00 TAU:1:LHT 135.405 11 248.242 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE:1:LHT 110.330 13 198.594 18 0.02531 248.2491 YAS:1:LHZ 110.00 200.00 HAKE:1:LHZ 110.330 16 248.242 18 0.02531 248.2491		212 7729	0.02953	16	;	248.242	18	102 721	SNAA +1+L HZ	250,00	130.00	TAU:1:LHZ
HRKE:1:LHZ 110,00 250,00 TAU:1:LHZ 135.405 11 248.242 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE:1:LHT 110.330 13 198.594 18 0.02531 248.2491 YAK:1:LHZ 115.00 250.00 HAKE:1:LHT 110.330 16 248.242 18 0.02531 248.2491 YAS:1:LHZ 110.00 200.00 HAKE:1:LHZ 110.330 16 248.242 18 10.02531 248.2491		229,1461	0.02742	17	5	248.242	11	135.405	TAIL: 1:1 HT	200,00	110.00	WAKE:1:LHT
YAK:1:LHT 110.00 250.00 HAKE:1:LHT 110.330 13 198.594 YAK:1:LHZ 115.00 250.00 HAKE:1:LHT 110.330 13 198.594 YAS:1:LHZ 110.00 200.00 HAKE:1:LHZ 110.330 16 248.242		248, 2491	0.02531	18	5	248.242	11	135.405	TAUL 1+1 HZ	250,00	110,00	HAKE:1:LHZ
YHK:1:LHZ 115.00 250.00 YSS:1:LHT 110.00 200.00 HAKE:1:LHZ 110.330 16 248.242		L 10+L 101		10	1	198.594	13	110.330	HAKE :1:1 HT	250,00	110.00	YAK:1:LHT
					5	248,242	16	110.330	HAKE +1 +1 HZ	250,00	115.00	YAK:1:LHZ
H HK:1:1H 110.550 16 248.242	17				5	248.242	16	110.330	YAK:1:LHT	200.00	110.00	YSS:1:LHT
Y55;1:LHZ 130,00 250,00 M										250,00	130.00	YSS:1:LHZ
PhVel T min: 150										150]	T min:	□ PhVel

4.Parameter range specification

This window allows you to specify the grid for the source parametric model. The double-couple depth (in km) and three angles (in degrees) specify this model: dip, strike and slip. For each of these parameters you have to specify the starting value, the step, and the number of samples (N Step) using the appropriate text box.

Note:

It will be impossible to close up this window and a warning message appears, in the case where the parameters do not satisfy the following constrains:

N Step of depth ≤ 100 ; N Step of dip ≤ 6 ; N Step of strike ≤ 12 ; N Step of slip ≤ 12 ;

 $(< \text{start of dip}> + < \text{step of dip}>* (< N \text{ Step of dip}> -1) \le 90.$

For a complete exploration of the focal sphere, it is enough to assign in the following window half of the full interval for strike and slip angles. The symmetric mechanisms are also investigated during the inversion. An example of parameters specification is shown below.

✓ /home/fmt/soft/fmt/example/MomTens/T100_250. = □ X ✓ OK
Depth Range Input (km) Start 0.0 Step 50 N Point 11
Dip Range Input Start 15.0 Step 15.0 N Point 6
Strike Range Input Start 0.0 Step 15.0 N Point 12
Slip Range Input Start 0.0 Step 15.0 N Point 12



5. Selection and rarefication of polarity data

Upper frame is related to selection of the value of the angleof polarity data smoothing. Push the arrow in the combo box and select the value. Middle frame shows the list of polarity data sources contained in directory POLAR ("bulletin" or/and "polarity.sup").

If both data source types are available three radio buttons will appear. Push radio button correspondent to polarity data sources to be used. In example shown below there are both files in directory POLAR, but only bulletin is selected for inversion.

Lower frame provide possibility to set a value of P wave velocity in the source location to be used for take off angle calculation. Push radio button "manually" and type the value in the text box below. The other possibility is to take this value from AK135 model at the source depth (taken from Data Base). To do this push radiobutton "ak135 model".

After all selections are done push OK. Stereographic projections of focal sphere with original and selected polarities will appear in a PostScript Viewer window. To go back to the main window, select Fileand then Quit.





Clicking this button when all input data and parameters are ready, you will start the inversion procedure by exploration of the source parameter space.

View of results.



Viewing all project lists and parameters



Viewing the map of stations for selected wfdisc records.



Viewing the results

When this button is clicked the following window will be displayed:

Y /home/fmt/soft/fmt/example/MomTens/T100_250.spr <2>	
View of Results	
View inversion Camplitude spectra inversion	naxinum visible - nininum residual difference (from 0.1 to 1.) 0.5 Color © B&4
Camplitude spectra + P polarities inversion Camplitude + phase spectra inversion	number of best solutions to be shown 10

The left panel allows you to choose one of three following items corresponding to the three types of inversion considered in the Appendix.

(a) Amplitude spectra inversion

After you have chosen this item, type in the upper right text box the value defining the numeric difference between the maximum and minimum residual. Only these possible orientations of the double couple principal stress axes which give the residuals between observations and synthetics within this interval will be shown in maps of the quality of different possible axes orientations. Click OK , and the following results will appear in the windows:

- Map of the quality of different possible T and P axes orientation. Every point in the map represents the stereographic projection of the axis orientation on the lower hemisphere. The color shows the quality of this orientation. In the case under consideration the maps for T and P axes are similar because of the symmetry considered in <u>Appendix</u>. That is why only one map is presented.
- Four equivalent best focal mechanisms and seismic moment.
- Residuals as a function of source depth (see <u>Appendix</u>).

- Observed and synthetic surface wave amplitude spectra calculated for the best values of variable parameters.

(b) Amplitude spectra + P polarity inversion

After you have chosen this item, type in the upper right text box the difference between the maximum and minimum residual which you would like to be shown in the maps. Type in the lower right text box the number of best solutions to be shown in the stereographic projections of nodal planes. Click OK , and the following results will appear in the windows:

- Maps of the quality of different possible T and P axes orientations.
- The best focal mechanism, selected polarities and seismic moment.

- A set of first N (N is the number typed in the lower right text box) best focal mechanisms and seismic moments.

- Residuals as a function of source depth.

- Observed and synthetic surface wave amplitude spectra calculated for the best values of the variable parameters.

(c) Amplitude + phase spectra inversion

After you have chosen this item, follow the instructions given in the previous paragraph (b).

Appendix

Description of technique

Instant point source can be described by the moment tensor - a symmetric 3x3 matrix **M**. Seismic moment M_0 is defined by equation $M_0 = \sqrt{\frac{1}{2} \operatorname{tr}(\mathbf{M}^{\mathrm{T}}\mathbf{M})}$, where \mathbf{M}^{T} is transposed moment tensor **M**, and $\operatorname{tr}(\mathbf{M}^{\mathrm{T}}\mathbf{M}) = \sum_{i,j=1}^{3} M_{ij}^{2}$. Moment tensor of any event can be presented in the form $\mathbf{M} = M_0 \mathbf{m}$, where

matrix **m** is normalised by condition $tr(\mathbf{m}^T\mathbf{m}) = 2$.

We are considering a double couple instant point source (a pure tangential dislocation) at a depth h. Such a source can be given by 5 parameters: double couple depth, its focal mechanism which is characterising by three angles: strike, dip and slip or by two unit vectors (direction of principal tension **T** and direction of principal compression **P**) and seismic moment M_0 . Four of these parameters we determine by a systematic exploration of the four dimensional parametric space, and the 5-th parameter M_0 - solving the problem of minimisation of the misfit between observed and calculated surface wave amplitude spectra for every current combination of all other parameters.

Under assumptions mentioned above the relation between the spectrum of the displacements $u_i(\mathbf{x}, \omega)$ in any surface wave and the total moment tensor **M** can be expressed by following formula

$$u_{i}(\mathbf{x},\omega) = \frac{1}{\mathrm{i}\,\omega} \left[M_{jl} \frac{\partial}{\partial \mathbf{y}_{l}} G_{ij}(\mathbf{x},\mathbf{y},\omega) \right]$$
(1)

i,j = 1,2,3 and the summation convention for repeated subscripts is used. $G_{ij}(\mathbf{x}, \mathbf{y}, \omega)$ in equation (1) is the spectrum of Green function for the chosen model of medium and wave type (see Levshin, 1985; Bukchin, 1990), \mathbf{y} - source location. We assume that the paths from the earthquake source to seismic stations are relatively simple and are well approximated by weak laterally inhomogeneous model (Woodhouse, 1974; Babich *et al.*, 1976). The surface wave Green function in this approximation is determined by the near source and near receiver velocity structure, by the mean phase velocity of wave, and by geometrical spreading. The amplitude spectrum $|u_i(\mathbf{x}, \omega)|$ defined by formula (1) does not depend on the average phase velocity of the wave. In such a model the errors in source location do not affect the amplitude spectrum (Bukchin, 1990). The average phase velocities of surface waves are usually not well known. For this reason as a rule we use only amplitude spectra of surface waves for determining source parameters under consideration. We use observed surface wave phase spectra only for very long periods.

Surface wave amplitude spectra inversion

If all characteristics of the medium are known the representation (1) gives us a system of equations for parameters defined above. Let us consider now a grid in the space of these 4 parameters. Let the models of the media be given. Using formula (1) we can calculate the amplitude spectra of surface waves at the points of observation for every possible combination of values of the varying parameters. Comparison of calculated and observed amplitude spectra give us a residual $\varepsilon^{(i)}$ for every point of observation, every wave and every frequency ω . Let $u^{(i)}(\mathbf{x}, \omega)$ be any observed value of the spectrum, i = 1,...,N; $\varepsilon_{amp}^{(i)}$ - corresponding residual of $|u^{(i)}(\mathbf{x}, \omega)|$. We define the normalised amplitude residual by formula

$$\varepsilon_{\operatorname{amp}}(h,\varphi,\mathbf{T},\mathbf{P}) = \left[\left(\sum_{i=1}^{N} \varepsilon_{\operatorname{amp}}^{(i)-2} \right) / \left(\sum_{i=1}^{N} |u^{(i)}(\mathbf{x},\omega|^2) \right) \right]^{1/2}$$
(2)

The optimal values of the parameters that minimize ε_{amp} we consider as estimates of these parameters. We search them by a systematic exploration of the five dimensional parameter space. To characterize the degree of resolution of every of these source characteristics we calculate partial residual functions. Fixing the value of one of varying parameters we put in correspondence to it a minimal value of the residual ε_{amp} on the set of all possible values of the other parameters. In this way we define one residual function on scalar argument and two residual functions on vector argument corresponding to the scalar and two vector varying parameters: $\varepsilon_h(h)$, $\varepsilon_T(T)$ and $\varepsilon_P(P)$. The value of the parameter for which the corresponding function of the residual attains its minimum we define as estimate of this parameters. From geometrical point of view these functions describe the lower boundaries of projections of the 4-D surface of functional ε on the coordinate planes.

It is well known that the focal mechanism can not be uniquely determined from surface wave amplitude spectra. There are four different focal mechanisms which will radiate this same surface wave amplitude spectra. These four equivalent solutions represent two pairs of mechanisms symmetric with respect to the vertical axis, and within the pair differ from each other by the opposite direction of slip.

To get a unique solution for the focal mechanism we have to use in the inversion additional observations. For these purpose we use very long period phase spectra of surface waves or polarities of P wave first arrivals.

Joint inversion of surface wave amplitude and phase spectra

Using formula (1) we can calculate for chosen frequency range the phase spectra of surface waves at the points of observation for every possible combination of values of the varying parameters. Comparison of calculated and observed phase spectra give us a residual $\epsilon_{ph}^{(i)}$ for every point of observation, every wave and every frequency ω . We define the normalised amplitude residual by formula

$$\varepsilon_{\mathrm{ph}}(h,\varphi,\mathbf{T},\mathbf{P}) = \frac{1}{\pi} \left[\left(\sum_{i=1}^{\mathrm{N}} \varepsilon_{\mathrm{ph}}^{(i)2} \right) / \mathrm{N} \right]^{1/2}.$$
(3)

We determine the joint residual ε by formula

$$\varepsilon = 1 - (1 - \varepsilon_{ph})(1 - \varepsilon_{amp}) . \tag{4}$$

Joint inversion of surface wave amplitude spectra and P wave polarities

Calculating radiation pattern of P waves for every current combination of parameters we compare it with observed polarities. The misfit obtained from this comparison we use to calculate a joint residual of surface wave amplitude spectra and polarities of P wave first arrivals. Let ε_{amp} be the residual of

surface wave amplitude spectra, ε_p - the residual of P wave first arrival polarities (the number of wrong polarities divided by the full number of observed polarities), then we determine the joint residual ε by formula

$$\varepsilon = 1 - (1 - \varepsilon_{p})(1 - \varepsilon_{amp}) .$$
 (5)

Before inversion we apply to observed polarities a smoothing procedure (see Lasserre *et al.*, 2001) which we will describe here briefly.

Let us consider a group of observed polarities (+1 for compression and -1 for dilatation) radiated in directions deviating from any medium one by a small angle. This group is presented in the inversion procedure by one polarity prescribing to this medium direction. If the number of one of two types of polarities from this group is significantly larger then the number of opposite polarities, then we prescribe this polarity to this medium direction. If no one of two polarity types can be considered as preferable, then all these polarities will not be used in the inversion. To make a decision for any group of *n* observed polarities we calculate the sum $m = n_+ - n_-$, where n_+ is the number of compressions and $n_- = n - n_+$ is the number of dilatations. We consider one of polarity types as preferable if |m| is larger then its standard deviation in the case when +1 and -1 appear randomly with this same probability 0.5. In this case n_+ is a random value distributed following the binomial low. For its average we have $M(n_+) = 0.5n$, and for dispersion $D(n_+) = 0.25n$. Random value *m* is a linear function of n_+ such that $m = 2n_+ - n$. So following equations are valid for the average, for the dispersion, and for the standard deviation σ of value *m*

 $M(m) = 2 M(n_+) - n = n - n = 0$, $D(m) = 4 D(n_+) = n$, and $\sigma(m) = \sqrt{n}$.

As a result, if the inequality $|m| \ge \sqrt{n}$ is valid then we prescribe +1 to the medium direction if m > 0, and -1 if m < 0.

References

V.M. Babich, B.A. Chikachev and T.B. Yanovskaya, 1976. Surface waves in a vertically inhomogeneous elastic half-space with weak horizontal inhomogeneity, *Izv. Akad. Nauk SSSR, Fizika Zemli*, 4, 24-31.

B.G. Bukchin, 1990. Determination of source parameters from surface waves recordings allowing for uncertainties in the properties of the medium, *Izv. Akad. Nauk SSSR, Fizika Zemli*, 25, 723-728.

A.V. Lander, 1989. Frequency-time analysis. In: V.I. Keilis-Borok (Editor), Seismic surface waves in a laterally inhomogeneous earth. Kluwer Academic Publishers Dordrecht, 153-163.

Lasserre, C., Bukchin, B., Bernard, P., Tapponnier, P., Gaudemer, Y., Mostinsky, A., and Dailu, R., Sources parameters and tectonic origin of the 1996 June 1 Tianzhu (Mw = 5:2) and 1995 July 21 Yongden (Mw = 5:6) earthquakes near the Haiyuan fault (Gansu, China), Geophys. J. Int., 144 (1), pp 206-220, 2001.

A.L. Levshin, 1985. Effects of lateral inhomogeneity on surface wave amplitude measurements, *Annles Geophysicae*, 3, 4, 511-518.

J.H. Woodhouse, 1974. Surface waves in the laterally varying structure. *Geophys. J. R. astr. Soc.*, 90, 12, 713-728.