

- 1.1. Ising model in 2d: [MW, Ch. XI].
- 1.2. Free boson in 2d: [DMS, Ch. 2.3].
- 1.3. 3 sets of axioms for QFT.
 - a) correlation functions: [Ha, Ch. II], [Ka, § 1.2, 2.2], [RS, Ch. IX.8].
 - b) algebras of observables: [Ha, Ch. III], [Ar, Ch. 4].
 - c) “bordism amplitudes”: [At, Se, ST].
- 2.2 Least action: [Ar, Ch. 3]
- 2.5 Path integrals: [RS, Ch. VIII.8, IX.7, X.11], [PS, Ch. 9.1].
- 3.2.1 Gaussian integrals: [BB, Sec. 4.1], [DMS, App. 2.A].
- 3.2.2 Free fields: [BB, Sec. 4.2], [DMS, Ch. 2.3], [PS, Ch. 9.2, 9.3].
- 3.2.3 Generating functions: [Ze, Ch. I.7]
- 3.3.1 0-dim. QFT: [BB, Sec. 5]

References

- [Ar] H. Araki, *Mathematical theory of quantum fields*, Oxford University Press, 1999.
- [At] M. Atiyah, *Topological quantum field theory*, Publ. Math. IHS 68 (1988) 175–186.
- [BB] R.E. Borcherds, A. Barnard, *Lectures on Quantum Field Theory*, math-ph/0204014.
- [DMS] P. Di Francesco, P. Mathieu and D. Senechal, *Conformal Field Theory*, Springer, 1997.
- [Ha] R. Haag, *Local quantum physics*, Springer, 1996.
- [Ka] D. Kazhdan, *Introduction to QFT*, in: *Quantum fields and Strings: A Course for Mathematicians*, vol. 1, AMS, 1999.
- [MW] B.M. McCoy, T.T. Wu, *The two-dimensional Ising model*, Harvard University Press, 1973.
- [PS] M.E. Peskin, D.V. Schroeder, *An introduction to quantum field theory*, Perseus Books, 1995.
- [RS] M. Reed, B. Simon, *Methods in modern mathematical physics*, vol. I & II, Academic Press, 1980 & 1975.

- [Se] G. Segal, *The definition of conformal field theory*, preprint 1988; also in: U. Tillmann (ed.), *Topology, geometry and quantum field theory*, London Math. Soc. Lect. Note Ser. **308** (2002) 421–577.
- [ST] Stolz, Teichner, *Super symmetric Euclidean field theories and generalized cohomology*, preprint 2008, from author’s homepage web.me.com/teichner.
- [Ze] A. Zee, *Quantum field theory in a nutshell*, Princeton University Press, 2003.